

MISCELLANEOUS PAPERS

Centre for Entomological Studies Ankara

No 192

31 May 2019

ISSN 1015-8235

<http://zoobank.org/References/9214CB4B-10D0-4173-8CC8-1CF704B73E3E>

On the small Heterocera collection from Mt. Matutum (S. Cotabato, Mindanao Is., Philippines), with remarks and synonymic list of the species from the island

Muhabbet Kemal¹ Sibel Kızıldağ Ahmet Ömer Koçak

Abstract: On the small Heterocera collection from Mt. Matutum (S. Cotabato, Mindanao Is., Philippines), with remarks and synonymic list of the species from the island. *Misc. Pap.* 192: 1-29, 1 fig.

This paper deals with the Heterocera material from Mt. Matutum (South Cotabato, Mindanao Island, Philippines). Totally 81 species of 14 families are listed and faunistically evaluated. Remarks on various subjects are given to some species. A synonymic list of the 741 Heterocera species from Mindanao Island is added.

Key words: Heterocera, Aganaiidae, Arctiidae, Bombycidae, Drepanidae, Ethmiidae, Geometridae, Lasiocampidae, Lymantriidae, Noctuidae, Notodontidae, Pyralidae, Saturniidae, Sphingidae, Tineidae, Lepidoptera, fauna, Matutum, Cotabato, Mindanao, Philippines.

In the previous papers on the Heterocera of the Philippines, the authors published some studies, that can be considered as starting on this subject (Kemal *et al.*, 2018, 2019a-c; Kemal & Koçak, 2019). In the present paper, a small number of the Heterocera from Mt. Matutum (South Cotabato, Mindanao Island) among the Lepidoptera of the Philippines stored in the Cesa Collection, are prepared here for a faunistic paper (**Fig. 1**). Totally 81 species of 14 families are listed for this purpose.

Mount Matutum (2286m) is one of the important active volcano of the Philippines, located in South Cotabato Province of the Mindanao Island. There is no published work in the literature about the Heterocera fauna of Mt. Matutum. Faunistic information on this subject are scattered in various articles. Similarly, no faunistic list on the Heterocera of Mindanao Island has been published so far. For this purpose, a comprehensive synonymous list of the Heterocera species of Mindanao Island, based upon the Info-systems of the Cesa², is added at the end of this article.

All the material studied here are identified by the authors, by using especially the Cesa Reference Collection. Following publications have also been taken into account for this purpose: Cerny (2011), Hogenes & Treadaway (1998), Holloway (1983-2005), Kononenko & Pinratana (2005, 2013), Robinson, *et al.* (1994), Schintlmeister (2004), Schintlmeister & Lourens (2010), Semper (1899-1902), Zolotuhin *et al.* (1998). The materials are currently preserved in the Cesa Collection ³.

¹ Dr Muhabbet Kemal & Dr Sibel Kızıldağ - Van Yüzüncü Yıl University, Faculty of Science, Dept. of Biology, Campus, Van / Turkey.
e-mails: muhabbet_kemal@yahoo.com.tr & sibelkizildag@vyu.edu.tr
Prof. em Dr Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Faculty of Science, Dept. of Biology., Van / Turkey.
e-mail: cesa_tr@yahoo.com.tr

² <http://www.cesa-tr.org/Infos.htm>

³ <http://entcesa.tripod.com/Cesacollection.pdf>



Fig. 1 - Overview of some Heterocera specimens from Mt. Matutum (Mindanao, Cotabato, Philippines) in the Collection of the Cesa.

List of the species

Below, 81 species of 14 Heterocera families recorded from Mt. Matutum (Mindanao) are listed. A large number of the species could not be identified. Distributional information for the identified species are mentioned as codes (Koçak & Kemal, 2019).

Aganaiidae

1. *Asota heliconia* (Linnaeus, 1758)

Original reference: *Phalaena heliconia* Linnaeus, 1758, Syst. Nat. (Edn. 10) 1: 511. "Habitat in Calidis regionibus".

Range (in code): MM Tns TH CMa Int Knc CN TW JP Ri ID Egg Tim PH Pal Olg Bal Ley Blc Mno Mtu Crg Neg Boh Luz Pq Sam Sib AU PG Bor Sbh KBa Nia Snd Bli Aru Amb Crm Adm Bsm Nk Ja Clb

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

2. *Asota trinacria* Semper, 1899

Original reference: *Asota trinacria* Semper, 1899, Reisen Archipel Philipp. (2) 6 (2): 483, Taf. liv fig. 11. Syntypes 3 ♂♀: Philippines, Babuyanes, Luzon, Mindoro.

Range (in code): MY Bor Sbh ID Crm PH Mno Mno3 Mtu Bkd Luz Ley Blc Mdo

Material studied: 1♀. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Arctiidae

3. *Aloa cardinalis* (Butler, 1875)

Original reference: *Areas cardinalis* Butler, 1875, Cistula ent. 2: 22. Type: Philippines.

Range (in code): PH Luz Mar Pan Boh Ceb Sam Neg Mno Mtu Cts Jol ID Clb Tim Bli Tnm

Material studied: 1♀. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

4. *Barsine roseororatus* (Butler, 1877)

Original reference: *Ammatho roseororatus* Butler, 1877, Trans. ent. Soc. London 1877: 341-342. Type: Sarawak.

Range (in code): MY Bor Swk PH Ley Blc Boh Mno Mtu ID

Material studied: 2♀. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

5. *Barsine* sp.1

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 8-9.iii.1996, F. Mamigo leg. (Cesa).

Remarks: The present species is near to *cruciatus* (Walker) externally. Identifying process is ongoing.

6. *Barsine* sp.2

Material studied: 5♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 8-9.iii.1996, F. Mamigo leg. (Cesa).

Remarks: This species was previously cited by the authors (Kemal *et al.*, 2019: 3, nr.4).

7. *Cretonotos wilemani* Rothschild, 1933

Original reference: *Cretonotus wilemani* Rothschild, 1933, Ann. Mag. nat. Hist. (10) 11: 183. Type: Philippines.

Range (in code): PH Neg Mpl Luz Mno Mtu Mar Pan Ceb Sam Ley Mdo

Material studied: 1♀. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

8. *Cyana cara* Kishida, 1991

Original reference: *Cyana cara* Kishida, 1991, Tinea 13 (8): 64. Holotype: Philippines, Davao, Apo Range, Upper Baracatan.

Range (in code): MY Swk Bor ID Sum PH Pal Mar Mno Mtu Apo Ley

Material studied: 2♂♀. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

9. *Cyana lunulata* Semper, 1899

Original reference: *Cyana lunulata* Semper, 1899, Reisen Archipel Philipp. (2) 6 (2): 499-500, Taf. lix fig. 12. Syntypes 1♂1♀: Philippines: Südost-Mindanao.

Range (in code): PH Pal Ley Blc Mno ?Mtu

Material studied: 2♂♀. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

10. *Lemyra philippinica* Thomas, 1990

Original reference: *Lemyra philippinica* Thomas, 1990, Nachr. ent. Ver. Apollo (N.F.) Suppl. 9: 49-50, figs. Holotype ♂: Philippinen, N-Luzon, Banaway (BMNH).

Range (in code): PH Luz Pan Mno Mtu Crg Ley Blc Neg Mpl Knl Ceb

Material studied: 7♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

11. *Macrobrochis borneensis* Roepke, 1938

Original reference: *Macrobrochis borneensis* Roepke, 1938, Ent. Z., Frankf. a. M. 52: 53.

Range (in code): MY Bor BN Swk ID Ja PH Neg Knl Mno Mtu

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

12. *Nyctemera (Coleta) coleta* (Stoll,[1781])

Range (in code): CN Kwa Hn Yu TW IN Ass Adm Nk LK Tcm Pdy Psw MM SG MY TH CMa Qs Cmz Cuo CDo CD2 Pap Mro JP Ryu PH Boh Sul Ley Luz Mno Mtu Pal Sam Sib Siq Neg Knl ID Ja Sum Nia Mlc Crm Bng Clb Amb Mlc Crm PG

Material studied: 1♂2♀. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

13. *Nyctemera (Luctuosana) contrasta* De Vos & Cerny,1999

Range (in code): PH Pal Mno Bkd Ktd Apo Mtu Neg Knl Ley Blc

Material studied: 7♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

14. *Spilosoma strigatula* Walker,1855

Original reference: *Spilosoma strigatula* Walker,1855, List Specimens lepid. Insects Colln Br. Mus. 3: 613. Type: Burma.

Range (in code): CN MM TH ID PH Luz Mdo Pal Olg Boh Mno Crg Mtu

Material studied: 16♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

15. *Xanthetis luzonica* (Felder & Rogenhofer,1875)

Original reference: *Cyme ? luzonica* Felder & Rogenhofer,1875, Reise Fregatte Novara 2 (2) (5): pl.139 fig.53. Type: "Manila".

Range (in code): PH Luz Mnl Mno Mtu ID? Ob?

Material studied: 1 ex. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Bombycidae**16. *Ernolatia lida* (Moore,[1860])**

Original reference: *Ocinara lida* Moore,[1860], Cat. lepid. Insects Mus. nat. Hist. East-India House 2: 381. Range (in code): MY Bor ID Sum Ja Clb PH Mno Crg Mtu

Material studied: 3♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

17. *Penicillifera apicalis* (Walker,1862)

Original reference: *Dasychira apicalis* Walker,1862, J. Proc. Linn. Soc. (Zool.) 6: 130. Type ♂: Sarawak

Range (in code): PK Swa Kkar IN MM CN Yu Hn VN TH MY ID Sum Ja Bor Swk PH Boh Ley Blc Mno Mtu

Material studied: 2♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Drepanidae**18. *Macrauzata limpida* Inoue,1993**

Original reference: *Macrauzata limpida* Inoue,1993, Bull. Otsuma Wom. Univ. Home Econ. 29: 221, figs.4,5.

Range (in code): PH Mno Mtu Busa Bkd Ktd Luz Pq Neg Knl

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Remarks: Yazaki (2012) published an important paper on the Drepaninae of the Philippines. The present species was identified by using this paper.

Ethmiidae**19. *Ethmia praeclara* Meyrick, 1910**

Original reference: *Ethmia praeclara* Meyrick, 1910, Trans. ent. Soc. Lond. 1910: 460-461. Syntypes 1♂1♀: "Lombok, Queensland". Lectotype selection by Clarke (1955).

Range (in code): IN MY Bor Sbh PH Luz Neg Mno Mtu TW ID Lb AU QAU NSw

Material studied: 2♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Geometridae**20. *Agathia* sp.**

Material studied: 3♂♀. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Remarks: The present species is near to *quinaria* Moore externally. This genus was revised by Yazaki (1996). The *Agathia* material in the Collection will be separately studied.

21. *Amblychia* sp.

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Remarks: The present species is near to *inoveata* Prout. Identifying process is ongoing.

22. *Biston subflavus* Inoue, 1985

Original reference: *Biston subflavus* Inoue, 1985, Cho Cho 8 (11): 22, 24, figs. 3, 5, 7. Holotype *: Philippines, Negros Is., Amlam.

Range (in code): PH Neg Aml Knl Ley Blc Pan Bly Pal Olg Mno Mtu

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

23. *Bracca georgiata* (Guenée, [1858])

Original reference: *Panaethia georgiata* Guenée, [1858], Hist. nat. Insectes, Spec. Gen. Lep. 10: 196. Holotype ♀: "Borneo" (coll. Gn.).

Range (in code): MY Bor ID Crm Nat Ja Sgr PH Mdo Luz Pq Mno Mtu Pal Olg TH Ntt Hba

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

24. *Cleora* sp.?n.

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Remarks: This taxon was also reported from Caragan Mt. (Mindanao) by the authors (Kemal, *et al.*, 2019: 8, nr.21 fig.9).

25. *Cleora* spp.

Material studied: 2♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Remarks: Identity of this specimen is still ongoing.

26. *Gonodontis pallida* (Butler, 1880)

Original reference: *Orsonoba pallida* Butler, 1880, Ann. Mag. nat. Hist. (5) 6 (32): 125. Type: "N. E. Himalayas (Lidderdale) (BMNH)".

Range (in code): IN TH VN TW ID Sum Clb PH Ley Blc Mno Mtu Crg CX

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

27. *Herochroma* sp.

Material studied: 2♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Remarks: This genus was revised by Inoue (1999). The *Herochroma* material in the Collection will be separately studied.

28. *Hypochrosis inexpecta* Yazaki, 2018

Original reference: *Hypochrosis inexpecta* Yazaki, 2018, Tinea 24 (2): 108, figs. Holotype ♂: Philippines, Mindanao, S. Matutum, 1996.

Range (in code): PH Mno Mtu Mdo

Material studied: 1♀. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Remarks: This interesting species was described by Yazaki (2018). In the Collection, it is represented by a single female. The body of this moth is remarkably weak and soft like other *Hypochrosis* species (*hausmanni* and *dolorosa*).

29. *Hypochrosis hyadaria* Guenée, [1858]

Original reference: *Hypochrosis hyadaria* Guenée, [1858], [in] Boisduval & Guenée, Hist. nat. Insects (Spec. gén. Lépid.) 10: 537.

Range (in code): IN SI Djl MY Bor Sbh KBa ID Sum Ja Bli Flo Sbw Tim Clb TH PH Boh Mno Crg Mtu Pal Luz

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

30. *Hyposidra leucomela* (Walker, 1866)

Original reference: *Celerena ? leucomela* Walker, 1866, List Spec. lepid. Insects Colln Br. Mus. 35 (Suppl. 5): 1877. Type ♀: "Philippine Isles".

Range (in code): TW PH Mno Mtu Mdo Luz Neg Mpl Sul Pal

Material studied: 7♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

31. *Hyposidra talaca* (Walker, 1860)

Original reference: *Lagyra talaca* Walker, 1860, List Specimens Lepid. Insects Colln Br. Mus. 20: 59. Syntypes ♀♀: Celebes, Philippine Isles, Ceylon.

Range (in code): ID Crm Clb LK IN PH Mno Mtu Pal Olg AU QAU SB TH CMa Cuo Cnz Cz10 Knc Cbi Phe Ntt Hba MY Bor

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

32. *Iridoplecta ferrifera* (Moore, 1888)

Original reference: *Trygodes ferrifera* Moore, 1888, Descr. new Indian lepid. Insects Colln Atkinson (3): 255, pl.viii fig.17. Type ♀: "Darjiling".

Range (in code): IN SI Djl TH CMa VN ID Sum Ja Bli MY Bor Sbh KBa PH Mno Crg Mtu

Material studied: 2♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

33. *Krananda semihyalina* Moore, [1868]

Original reference: *Krananda semihyalina* Moore, [1868], Proc. zool. Soc. London 1867: 648. Syntypes ♂♀: [India]: "Bengal (in coll. A.E. Russell)".

Range (in code): IN ID Ja Mlc JP MY Bor TH PH ?Ley Blc? Mno Mtu Crg

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

34. *Lassaba acribomena* (L.B. Prout, 1928)

Original reference: *Medasina acribomena* L.B. Prout, 1928, Bull. Hill. Mus. 2: 156-157. Syntypes: [Indonesia]: Sumatra (various localities).

Range (in code): ID Sum MY Prk Bor Sbh PH Luz Pq Mno Bkd Ktd Crg Mtu

Material studied: 6♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

35. *Problepsis apollinaria* (Guenée,[1858])

Original reference: *Argyris apollinaria* Guenée,[1858], Hist. nat. Insectes, Spec. Gen. Lep. 10: 13, 555 (index). Type ♂: "Borneo", "coll. Gn."

Range (in code): MY Bor Swk PG Bsm IN ID Kai PH Luz Mno Crg Neg Mpl Pal Olg TH AU

Material studied: 4♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

36. *Protuliocnemis biplagiata* (Moore,[1887])

Original reference: *Comibaena biplagiata* Moore,[1887], Lepid. Ceylon 3 (4): 435. Type: Ceylon.

Range (in code): LK TH Ntt Hba PG Ls Bsm NC ID Crm Mlc PH Boh Mno Mtu

Material studied: 2♂ (GP3112). Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

37. *Tanaorhinus* sp.

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Remarks: The species of this genus was described and discussed by various authors (Yazaki, 1995; Tautel,2014). The *Tanaorhinus* material in the Collection will be separately studied.

38. *Xandrames latiferaria* (Walker,1860)

Original reference: *Pachyodes ? latiferaria* Walker,1860, List Spec. lepid. Insects Colln Brit. Mus. 21: 445-446. Type: North China.

Range (in code): MY Bor Sbh KBa TH Nna Kao Chy IN Ass Meg Khs ID Ja JP PH Crg Mno Mtu Neg Mpl

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Lasiocampidae**39. *Kunugia mervillei* Zolotuhin, Treadaway & Witt,1998**

Original reference: *Kunugia mervillei* Zolotuhin, Treadaway & Witt,1998, Nachr. ent. Ver. Apollo Suppl. 17: 182, figs. Holotype ♂: Philippines, Mindoro, Mt. Halcon 1000m (CCGT).

Range (in code): PH Mdo Hlc Mno Mtu Cot Busa Ktd Bkd Apo Luz Neg Ley Blc Hls Sam

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

40. *Odonestis apo* Zolotuhin, Treadaway & Witt,1998

Original reference: *Odonestis apo* Zolotuhin, Treadaway & Witt,1998, Nachr. ent. Ver. Apollo (Suppl.) 17: 189-190, figs. Holotype ♂: Philippines, Mindanao, S-Cotabato, Mt. Busa (CCGT).

Range (in code): PH Ley Luz Ifg Mno Apo Busa Mtu Dav

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Lymantriidae**41. *Aroa* sp.**

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

42. *Artaxa* sp.

Material studied: 2♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Remarks: Also the generic identity is not certain. The identifying process is ongoing.

43. *Calliteara* sp.

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Remarks: Externally, this species is somewhat near to *diplozona*. The identifying process is ongoing.

44. *Cozola* sp.

Material studied: 2♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Remarks: Also the generic identity is not certain. The identifying process is ongoing.

45. *Dura amiantha* Collenette, 1932

Original reference: *Dura amiantha* Collenette, 1932, Novit. zool. 38: 100-101, pl.1 fig.10. Type: Kuala Lumpur.

Range (in code): MY Prk Klu Bor Sbh KBa ID Sum Bli PH Mno Mtu

Material studied: 2♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Remarks: This species was identified based upon external features (cf. Holloway). Male forewing 18mm.

46. *Euproctis nigrofasciata* Semper, 1898

Original reference: *Euproctis nigrofasciata* Semper, 1898, Reisen Archipel. Philipp. 2: 467. Type 1♂: Philippines, SW Mindanao, Pulobatu.

Range (in code): PH Mno Dav Crg Mtu

Material studied: 3♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

47. *Lymantria (Porthetria) lunata* (Stoll, [1782])

Original reference: *Phalaena lunata* Stoll, [1782], [in] Cramer, Uitl. Kapellen 4 (29-31): 154, pl.369 fig.C. Type: Amboina.

Range (in code): ID Amb Aru Ja Clb Beh Ij Afk Bia Crm Mlc Kai PH Neg Pan Ley Blc Mno Mtu Mdo Luz Pal Boh AU QAU Cai

Material studied: 2♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

48. *Lymantria (s.str.) subrosea* Swinhoe, 1903

Original reference: *Lymantria subrosea* Swinhoe, 1903, Trans. ent. Soc. Lond. 1903 (3): 489 (nom. nov. pro *Lymantria rosea* Hampson, 1892 nec Butler, 1879). Type: Ceylon.

Range (in code): LK IN ID Sum Ja Lb Nia SG MY Bor Sbh KBa TH CMa Cuo Cuo6 PH Pal Luz Neg Mno Mtu

Material studied: 6♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Remarks: These two lymantriid species were identified based upon external features (Schintlmeister, 2004).

49. *Nygmia guttulata* (Snellen, 1886)

Original reference: *Euproctis guttulata* Snellen, 1886, Tijdschr. Ent. 29: 36, pl.1 fig.3♀. Type: Sumatra.

Range (in code): MY Bor Swk ID Sum

Material studied: 2♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

50. *Nygmia* sp.

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Remarks: A single male near to *javana* at first glance, but it differs from it by the shape of the costal orange are on the upperside of fore-wing.

Noctuidae**51. *Anuga* sp.**

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

52. *Episteme darocana* (Druce, 1894)

Original reference: *Eusemia darocana* Druce, 1894, Ann. Mag. nat. Hist. (6) 14): 23-24. Syntypes ♂♀: Philippines, Mindanao (Semper) (coll. Druce).

Range (in code): PH Mno Mtu Ley Neg Knl

Material studied: 5♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

53. *Gadirtha* sp.

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Remarks: There is a confusion on the identity of *uniformis/inexacta* (cf. Kononenko & Pinratana, 2013: 240, pl.33 fig.1). Our specimen is near to *uniformis* illustrated (*l.c.*). But yet, we were not sure about its identity; therefore, it remained as unidentified for the time being.

54. *Hypersynoides* sp.

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Remarks: The authors reported *Hypersynoides ochreicilia* Hampson from Caragan Mt. (Mindanao), based upon the illustration by Kononenko & Pinratana (2005). Present specimen from Mt. Matutum looks like to *Hypersynoides submarginata* (Walker) (sensu Kononenko & Pinratana, 2013). Externally, we are of the opinion that there is no serious difference between *ochreicilia* and *submarginata*. However, both names are currently considered as valid names of two distinct species. For a genitalic comparison, we have only possibility for checking *submarginata*. Of course, this is not enough in order to decide about its identity. Therefore, specific name could not be found for this species.

55. *Mythimna (Aletia) reversa* (Moore, [1885])

Original reference: *Aletia reversa* Moore, [1885], Lepid. Ceylon 3 (1): 6. Type: Ceylon.

Range (in code): LK IN Up Bhi Hp Sml MM Tns LA TH CMa Nan Mae VN MY Bor Sbh ID Sum Ij Ja Flo Bru Clb Tim SB PH Luz Mno Neg Mtu Ceb Mdo PG AU QAU Kda

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg.; 1♀. Philippines, Mindanao Island, Davao del Norte, Mt. Caragan, 20-26.01.1998, local collector (Cesa).

Remarks: This species was identified based upon external features. A comparison of genetic distance is necessary. This species was not previously reported from Caragan Mt.

56. *Ophthalmis lincea* (Cramer, [1779])

Original reference: *Phalaena lincea* Cramer, [1779], Utitl. Kapellen 3: 61, pl.228 Fig.B. Type: Amboina.

Range (in code): ID Amb Crm Bia SB PH Bal Neg Knl Pal Olg Mno Mtu MY Bor PG Nlr

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

57. *Oraesia emarginata* (Fabricius, 1794)

Original reference: *Noctua emarginata* Fabricius, 1794, Ent. Syst. 3 (2): 82. Type: Tranquebar.

Range (in code): ZA AO ER ET GM KE MG NA NG SZ TZ UG ZM ZW OM IN TH VN MY Bor LK NP PK Abb CN TW KP KR JP RU Us PG ID Clb PH Cml Mno Mtu

Material studied: 1♀. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

58. *Ossonoba torpida* Walker, 1866

Range (in code): IN SI Djl TH CMa Lmp MM MY Prk Bor Sbh ID Sum Clb Crm PH Luz Pal Mno Mtu PG

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

59. *Sarbanissa* sp.

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

60. *Tiracola* sp.

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Notodontidae

61. *Dudusa minor* Schintlmeister, 1993

Original reference: *Dudusa minor* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 104, 110 Taf. Holotype ♂: Philippinen: Luzon: Quezon: Tanawan.

Range (in code): PH Luz Mdo Mno

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

62. *Formofentonia orbifer* (Hampson, [1893])

Original reference: *Stauropus orbifer* Hampson, [1893], Fauna Br. India (Moths) 1: 152-153. Type ♀: Sikkim (BMNH).

Range (in code): IN SI TW ID Clb Ja Sum Bor PH Mno Mtu Pal CN Sz TH CMa CDo

Material studied: 3♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

63. *Gargetta hampsoni* Schintlmeister, 1981

Original reference: *Gargetta hampsoni* Schintlmeister, 1981, Atalanta 12: 286-289, figs. Holotype ♂: Indonesia, Sumatra.

Range (in code): ID Sum TH CMa CDo MY Bor PH Mno Mtu Dav Apo Busa Neg Knl Mdo Hlc Pal Olg

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

64. *Neopheosia fasciata* (Moore, 1888)

Original reference: *Pheosia fasciata* Moore, 1888, Proc. zool. Soc. Lond. 1888: 401. Type(s): [India]: Dharmasala.

Range (in code): PH Luz Pq Mno Mtu Pan Pal IN Hp Drm SI ID Bru Clb Sum Bor MY MM TH CMa Qs Qs15 VN Ton Fan Tda TW JP CN

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

65. *Phalera* spp.

Remarks: Identifying of at least two species from Mt. Matutum is ongoing.

66. *Porsica intermediata* Schintlmeister, 1993

Original reference: *Porsica intermediata* Schintlmeister, 1993, Nachr. ent. Ver., Apollo, Suppl. 12: 117, figs. Holotype ♂: Philippinen, Mindanao, Bukidnon, 40km NW Maramag, Talakag.

Range (in code): PH Mno Mtu Bkd Crg

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

67. *Somera viridifusca* Walker, 1855

Original reference: *Somera viridifusca* Walker, 1855, List Spec. lepid. Insects Colln Brit. Mus. 4: 822. Type: [Bangladesh]: Sylhet.

Range (in code): IN BD Syl LK TW ID Clb PH Luz Pal Mno Bnn Crg Bor MY Sum Ja NP TH TW VN Ton Fan Tgi Cuc M-c Tda N-l CN Yu

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

68. *Stauropus hannemanni* Schintlmeister, 1991

Original reference: *Stauropus hannemanni* Schintlmeister, 1991, Dt. ent. Z. (N.F.) 38: 112, figs. Holotype ♂: Philippinen, N. Luzon, Mts. Provinz Chatol 1600m, 15km SE Bontoc.

Range (in code): PH Luz Pal Mno Bnn Bkd Crg Mtu Ley Neg Knl Pan Bly

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

69. *Syntypistis charistera* (West, 1932)

Original reference: *Stauropus charistera* West, 1932, Novit. zool. 37: 211-212. Holotype ♂: Philippine Is., Mindanao, Lanao, Kolambugan (plains).

Range (in code): MY ID Sum Bor Clb Ja Bli SG VN Bao Ann PH Luz Mno Mtu Crg Pal Pan

Material studied: 1♂ (melanistic form). Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Pyralidae

70. *Agrioglypta itysalis* (Walker, 1859)

Original reference: *Glyphodes itysalis* Walker, 1859, List Specimens lepid. Insects Colln Br. Mus. 17: 501-502. Type: "Sarawak, Borneo".

Range (in code): MY Swk Bor TW PH Boh Ceb Mno Mtu IN LK MM Prk ID Sum Adm Nk Ja TW Sgr PG QAU AU CN Yu

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

71. *Cirrhochrasta* sp.

Material studied: 1♀. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

72. *Eoophyla snelleni* Semper, 1902

Range (in code): PH Luz Mno Mtu CmM Neg Knl Pal Mdo

Material studied: 2 ex. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

73. *Hoploscopa* sp. ?n.

Material studied: 2♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. - 1♂. Leyte Island, Mahaplag, Balocaue Mt. 600m, 18-26.vi.2018, R. Cabale leg. (Cesa).

Remarks: Valid name of the genus is based upon Nuss (1998). The genus is represented by the species, inhabiting mostly in Indonesian islands and Papua New Guinea. Apparently, there is no published paper reporting this genus from the Philippines. However, our information is about the existence of an indeterminate species from Mindanao, Negros, Leyte, and Cebu.

74. *Maruca vitrata* (Fabricius, 1787)

Original reference: *Phalaena vitrata* Fabricius, 1787, Mantissa Insectorum 2: 215. Type: Tranquebariae.

Range (in code): WS FJ PG TH CMa Cuo Cuo1 Cuo7 CDo CD2 Cz10 Cmz Dst Dso9 Pap Mro MY PH Boh Cco Mno Mtu IN AU BR FR AF Srb VN Ton TW ID Sum Ja MG ZA Spb Mdk Tva Lpo Hw AE KP KR RU Us AO BF CM ZR ET GA GM GH KE RE MG MU NA NE NG SC SL SO TZ TG UG ZM ZW

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

75. *Nacoleia insolitalis* (Walker, 1862)

Range (in code): TH MY Bor Swk Sbh Nk PG PH Mno Mtu

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

76. *Pachynoa thoosalis* (Walker, 1859)

Original reference: *Botys thoosalis* Walker, 1859, List Spec. lepid. Insects Colln Br. Mus. 18: 737-738.

Range (in code): TW LA PH Neg Mpl Knl Mno Mtu Crg SI IN Adm Clb Amb Crm ID MY MM PG

Material studied: 2♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Saturniidae

77. *Samia luzonica* (Watson, 1914)

Range (in code): PH Luz Pan Neg Sam Ley Mno Mtu Jol Mar Mdo CmL

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Sphingidae

78. *Acosmeryx anceus* (Stoll, [1781])

Original reference: *Sphinx anceus* Stoll, [1781], [in] Cramer, Uitl. Kapellen 4 (29-31): 124, pl.ccciv. Type "Amboina".

Range (in code): LK Kndy IN Hp Meg Ass Khs NP MM TH CMA Cuo CDo MY PG AU VN ID Sum Ja Sba Clb Flo Amb PH Bal Boh Cal Ceb Din Jol Ley Luz Mar Mdo Mno Mtu Neg Pal Olg Pan Sam Sga Stu Taw

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

79. *Ambulyx bakeri* (Clark, 1929)

Original reference: *Oxyambulyx bakeri* Clark, 1929, Proc. New Engl. zool. Club 11: 10. Range (in code): PH Boh Ceb Ley Luz Mar Mdo Mno Mtu Neg Knl Pan Sam Siq

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

80. *Ambulyx wilemani* (Rothschild & Jordan, 1916)

Original reference: *Oxyambulyx substrigilis* ssp. *wilemani* Rothschild & Jordan, 1916, Novit. zool. 23: 254. Syntypes 2♂♀: Philippines, Luzon, Manila (Tring Mus.).

Range (in code): PH Ley Luz Mar Mdo Mno Mtu Neg Pan Sam Stu Taw

Material studied: 1♂. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Tineidae

81. *Coryptilum klugii* Zeller, 1839

Original reference: *Coryptilum klugii* Zeller, 1839, Isis 32: 181. Syntypes 2♂: [Indonesia]: "Java".

Range (in code): MY ID Ja Sum Bor Clb Mlc PH Mno Mtu SB PG Rs

Material studied: 2 ex. Philippines, Mindanao Island, S. Cotabato Pr., Mt. Matutum 1500m, 3-20.iii.1996, F. Mamigo leg. (Cesa).

Procedure to be followed in the future:

Regardless of which geographic region, our principle of diagnosing Lepidoptera material in the Cesa Collection is primarily to identify the known species in relation to that group. We tried to do this in our published faunistic lists. However, we were able to identify almost half of the material examined. There is no failure here. It is a well-known reality that there is still a high probability on existing of numerous undescribed species in the studying regions. In addition, lack of revisional resources, or rarely published important images in poor quality play a negative role in identifying the material. Although it may seem like a solution to encode indeterminate species (sp.1, sp.2, sp.3, etc.), this way of naming affects negatively our working order. Another reason why we do this was for the readers interested in the subject to state their comments. However, these expectations have remained unrequited. Therefore, in future publications avoiding this, the taxon, if we are convinced that is new, will be described and named in accordance with the Rules of the ICZN. The readers will then be able to make their assessments, if necessary.

Acknowledgements

We sincerely thank to Mr. Katsumi Yazaki (Tokyo, Japan) for his kind help in supplying some important publications.

References

- Cerny, K.**, 2011. A Review of the subfamily Arctiinae (Lepidoptera: Arctiidae) from the Philippines. *Entomofauna* 32 (3): 29-92.
- Diakonoff, A.**, [1968]. Microlepidoptera of the Philippine Islands. *U.S. nat. Mus. Bull.* 257: 1-484.
- Holloway, J.D.**, 1983-2005, *The Moths of Borneo*, Pts 4-18. Kuala Lumpur.
- Inoue, H.**, 1999. Revision of the genus *Herochroma* Swinhoe (Geometridae, Geometrinae). *Tinea* 16 (2): 76-105, figs.
- Kemal, M., Kızıldağ, S. & A.Ö.Koçak**, 2018. A preliminary list of the moth species of Mindanao Island (Philippines), in the Cesa Collection, with some remarks (Lepidoptera). *Cesa News* 160: 1-15, 29 figs.
- Kemal, M., Kızıldağ, S. & A.Ö.Koçak**, 2019a. Some Heterocera of Bohol Island (Philippines), a preliminary list of the species in the Cesa collection with faunistic notes. *Misc. Pap.* 182: 1-20, 52 figs.
- Kemal, M., Kızıldağ, S. & A.Ö.Koçak**, 2019b. On the Heterocera of Mt. Caragan (Philippines, Mindanao), with some remarks. *Misc Pap.* 190: 1-50, 76 figs, 5 maps.
- Kemal, M., Kızıldağ, S. & A.Ö.Koçak**, 2019c. On the small Heterocera collection from Palawan Island (Philippines), with some remarks. *Misc. Pap.* 191: 1-26, 52 figs.
- Kemal, M. & A.Ö.Koçak**, 2019. A Taxonomical notes on two species of the Philippines (Lepidoptera, Geometridae). *Misc. Pap.* 185: 1-2.
- Koçak, A.Ö. & M. Kemal**, 2006. Notes on the nomenclature of some species group taxa in the family Geometridae (Lepidoptera). *Misc. Pap.* 102-103: 15-16.
- Koçak, A.Ö. & M.Kemal**, 2019. First updated geographical codes used in the publications of the Cesa. *Priamus* 17 (4): 319-360.
- Kononenko, V.S. & B.A.Pinratana**, 2005. *Moths of Thailand*. vol.3. Noctuidae (Part I). 261 pp., 45 Pls. Bangkok.
- Kononenko V. S. & A. Pinratana**, 2013. *Moth of Thailand Vol. 3, Part 2. Noctuoidea. An illustrated Catalogue of Erebiidae, Nolidae, Euteliidae and Noctuidae (Insecta, Lepidoptera) in Thailand*. 625 pp. Brothers of St. Gabriel in Thailand. Bangkok.
- Nuss, M.**, 1998. The Scopariinae and Heliothelinae stat. rev. (Lepidoptera: Pyraloidea, Crambidae) of the Oriental Region — a revisional synopsis with descriptions of new species from the Philippines and Sumatra. *Nachr. Ent. Ver. Apollo*, Suppl. 17: 475-528.
- Robinson, G.S., Tuck, K.R. & M.Shaffer**, 1994. *A field guide to the smaller moths of south-east Asia*. 306 pp. 51 figs., 31 pls. Malaysian Nature Society, Kuala Lumpur.
- Schintlmeister, A.**, 2004. The taxonomy of the genus *Lymantria* Hübner, [1819] (Lepidoptera, Lymantriidae). *Quadriana* 7: 1-248.
- Schintlmeister, A. & J. Lourens**, 2010, The Philippine Notodontidae (Lepidoptera). *Quadriana* 8: 1-349, figs.
- Semper, G.**, 1899-1902. *Die Schmetterlinge der Philippinischen Inseln* 2: Die Nachtfalter, Heterocera, Pls. C.W.Kreidel's Vlg. Wiesbaden.

- Tautel, C.**, 2014. Deux nouveaux *Tanaorhinus* pour la Wallacea (Lepidoptera Geometridae Geometrinae). *Antenor* 1 (2): 191-198.
- Yazaki, K.**, 1995. The genus *Tanaorhinus* Butler (Lepidoptera, Geometridae) from Wallacea. *Tinea* 14 (2): 123-129, figs.
- Yazaki, K.**, 1996. The genus *Agathia* (Lepidoptera, Geometridae) of Wallacea. *Tinea* 14 (4): 237-253, figs.
- Yazaki, K.**, 2012. An annotated list of Drepaninae of the Philippines (Lepidoptera, Drepanidae). *Tinea* 22 (2): 107-119, figs.
- Yazaki, K.**, 2018. A review of the genus *Hypochrosis* Guenée from the Philippines (Geometridae, Ennominae), with descriptions of eight new species. *Tinea* 24 (2): 96-108, figs.
- Zolotuhin, V.V., Treadaway, C.G. & T.J. Witt**, 1998. The Lasiocampidae (Lepidoptera) of the Philippines. *Nachr. ent. Ver. Apollo*, Suppl. 17: 133-222, figs.

Appendix

Synonymic list of the 741 Heterocera species from Mindanao Island based upon the Info-system of the Cesa

1. **Agape chloropyga (Walker, 1854)** (Aganaidae) Synonym(s): chloropyga Walker, 1854; analis Walker, 1856; cyanopyga R. Felder, 1874; snelleni Gaede, 1914
2. **Asota albiformis (Swinhoe, 1892)** (Aganaidae) Synonym(s): albiformis Swinhoe, 1892
3. **Asota egens (Walker, 1854)** (Aganaidae) Synonym(s): egens Walker, 1854; nebulosa Butler, 1875; onusta Weymer, 1885; confinens Rothschild, 1897
4. **Asota heliconia (Linnaeus, 1758)** (Aganaidae) Synonym(s): heliconia Linnaeus, 1758; dama Fabricius, 1775; monycha Cramer, 1779; silvandra Stoll, 1782; doryca Boisduval, 1832; intacta Walker, 1854; lanceolata Walker, 1856; clavata Butler, 1875; dicta Butler, 1875; zebrina Butler, 1877; venalba Moore, 1877; leuconeura Butler, 1879; perimele Weymer, 1885; semifusca Butler, 1887; nicobarica Swinhoe, 1892; malisa Swinhoe, 1892; ghara Swinhoe, 1892; lara Swinhoe, 1893; enganensis Rothschild, 1896; natunensis Rothschild, 1896; murina Rothschild, 1896; timorana Rothschild, 1896; kalaonica Rothschild, 1896; riukiuana Rothschild, 1896; philippina Rothschild, 1896; sangirensis Rothschild, 1896; bandana Rothschild, 1896; kiriwinae Rothschild, 1896; #extensa Rothschild, 1896; #diluta Rothschild, 1896; #brevipennis Rothschild, 1896; #nervosa Rothschild, 1897; extensa Seitz, 1914; atrata Jordan, 1924
5. **Asota isthmia (Walker, 1856)** (Aganaidae) Synonym(s): isthmia Walker, 1856
6. **Asota javana (Cramer, [1780])** (Aganaidae) Synonym(s): javana Cramer, [1780]; flavipennis Rothschild, 1897
7. **Asota heliconioides (Moore, 1878)** (Aganaidae) Synonym(s): heliconioides Moore, 1878; philippinensis Swinhoe, 1907
8. **Asota plana (Walker, 1854)** (Aganaidae) Synonym(s): plana Walker, 1854; complana Walker, 1864
9. **Asota trinacria Semper, 1899** (Aganaidae) Synonym(s): trinacria Semper, 1899
10. **Aethalida dora (Semper, 1899)** (Arctiidae) Synonym(s): dora Semper, 1899
11. **Aloa cardinalis (Butler, 1875)** (Arctiidae) Synonym(s): cardinalis Butler, 1875
12. **Aloa lactinea (Cramer, [1777])** (Arctiidae) Synonym(s): lactinea Cramer, [1777]; sanguinolenta Fabricius, 1793; marginata Moore, 1883 nec Don., 1805; frederici Kirby, 1892; negritus Hampson, 1894
13. **Amerila astreus (Drury, 1773)** (Arctiidae) Synonym(s): astreus Drury, 1773; melanthus Cramer, 1780; hainana Rothschild, 1910
14. **Argina astrea (Drury, [1773])** (Arctiidae) Synonym(s): #cribraria Clerck, 1764 nec Linn., 1758; astrea Drury, [1773]; pylotis Fabricius, 1775; dulcis Walker, 1854; guttata Rambur, 1866; notata Butler, 1877; pylotes Butler, 1877; multiguttatus Swinhoe, 1892; #perforata Seitz, 1914; #detersa Hulstaert, 1923; #astraea auct.
15. **Pareuchaetes pseudoinsulata Rego Barros, 1956** (Arctiidae) Synonym(s): pseudoinsulata Rego Barros, 1956
16. **Baroa oryza Cerny, 2011** (Arctiidae) Synonym(s): oryza Cerny, 2011
17. **Baroa siamica Hampson, 1911** (Arctiidae) Synonym(s): siamica Hampson, 1911; javanica Kalis, 1934
18. **Barsine euprepioides (Moore, 1862)** (Arctiidae) Synonym(s): euprepioides Moore, 1862; inclusa Snellen, 1877; interserta Moore, 1878; #samboanganus Strand, 1922
19. **Barsine rhipiptera (Wileman & West, 1928)** (Arctiidae) Synonym(s): rhipiptera Wileman & West, 1928
20. **Barsine roseororatus (Butler, 1877)** (Arctiidae) Synonym(s): roseororatus Butler, 1877
21. **Chrysaeglia perpendicularis Cerny, 1995** (Arctiidae) Synonym(s): perpendicularis Cerny, 1995
22. **Cretonotos gangis (Linnaeus, 1763)** (Arctiidae) Synonym(s): gangis Linnaeus, 1763; interrupta Linnaeus, 1767; francisca Fabricius, 1787; continuatus Moore, 1877; #pallida Rothschild, 1914; #nigrescens Rothschild, 1914; #feminatus Strand, 1919.
23. **Cretonotos wilemani Rothschild, 1933** (Arctiidae) Synonym(s): wilemani Rothschild, 1933; philippinensis Nakamura, 1976
24. **Cyana alexi (Cerny, 1993)** (Arctiidae) Synonym(s): alexi Cerny, 1993
25. **Cyana andromeda (Cerny, 1993)** (Arctiidae) Synonym(s): andromeda Cerny, 1993
26. **Cyana aurifinis (Cerny, 1993)** (Arctiidae) Synonym(s): aurifinis Cerny, 1993
27. **Cyana aurorae Lourens, 2011** (Arctiidae) Synonym(s): aurorae Lourens, 2011
28. **Cyana bella Kishida, 1991** (Arctiidae) Synonym(s): bella Kishida, 1991
29. **Cyana cara Kishida, 1991** (Arctiidae) Synonym(s): cara Kishida, 1991
30. **Cyana carmina (Cerny, 1993)** (Arctiidae) Synonym(s): carmina Cerny, 1993
31. **Cyana cernyi Lourens, 2011** (Arctiidae) Synonym(s): cernyi Lourens, 2011
32. **Cyana consequenta Lourens, 2011** (Arctiidae) Synonym(s): consequenta Lourens, 2011
33. **Cyana gabriellae (Cerny, 1993)** (Arctiidae) Synonym(s): gabriellae Cerny, 1993
34. **Cyana geminipuncta (Cerny, 1993)** (Arctiidae) Synonym(s): geminipuncta Cerny, 1993
35. **Cyana gonypetes (L.B. Prout, 1919)** (Arctiidae) Synonym(s): gonypetes L.B. Prout, 1919
36. **Cyana lunulata Semper, 1899** (Arctiidae) Synonym(s): lunulata Semper, 1899
37. **Cyana lutipes (Hampson, 1900)** (Arctiidae) Synonym(s): lutipes Hampson, 1900
38. **Cyana luzonica (Wileman & South, 1919)** (Arctiidae) Synonym(s): luzonica Wileman & South, 1919
39. **Cyana phycmata (Wileman & West, 1928)** (Arctiidae) Synonym(s): phycmata Wileman & West, 1928
40. **Cyana rosabra (Wileman, 1925)** (Arctiidae) Synonym(s): rosabra Wileman, 1925
41. **Cyana rubrifinis Lourens, 2011** (Arctiidae) Synonym(s): rubrifinis Lourens, 2011
42. **Cyana soror (Cerny, 1993)** (Arctiidae) Synonym(s): soror Cerny, 1993
43. **Cyana sublutipes (Kishida, 1991)** (Arctiidae) Synonym(s): sublutipes Kishida, 1991
44. **Cyana treadawayi (Cerny, 1993)** (Arctiidae) Synonym(s): treadawayi Cerny, 1993

45. *Cyana v-nigrum* (Cerny,1993) (Arctiidae) Synonym(s): *v-nigrum* Cerny,1993
46. *Cyana vespertata* (Cerny,1993) (Arctiidae) Synonym(s): *vespertata* Cerny,1993
47. *Eilema vestigiata* Cerny,1995 (Arctiidae) Synonym(s): *vestigiata* Cerny,1995
48. *Eugoa clepsydra* Bucsek,2014 (Arctiidae) Synonym(s): *clepsydra* Bucsek,2014
49. *Eugoa flexilinea* Cerny & Bucsek,2014 (Arctiidae) Synonym(s): *flexilinea* Cerny & Bucsek,2014
50. *Eugoa mindanaoica* Bucsek,2014 (Arctiidae) Synonym(s): *mindanaoica* Bucsek,2014
51. *Eugoa mindanensis* Wileman & West,1928 (Arctiidae) Synonym(s): *mindanensis* Wileman & West,1928
52. *Eugoa palawanica* Bucsek,2008 (Arctiidae) Synonym(s): *palawanica* Bucsek,2008
53. *Eugoa similitera* Bucsek,2014 (Arctiidae) Synonym(s): *similitera* Bucsek,2014
54. *Eugoa simplicata* Cerny & Bucsek,2014 (Arctiidae) Synonym(s): *simplicata* Cerny & Bucsek,2014
55. *Heliozona lianga* (Semper,1899) (Arctiidae) Synonym(s): *lianga* Semper,1899
56. *Lemyra maculifascia* (Walker,1855) (Arctiidae) Synonym(s): *maculifascia* Walker,1855; *conspurcatum* Walker,1856; *parva* Walker,1865; *parvula* Hulstaert,1924; *malayensis* Hampson,1901
57. *Lemyra philippina* Thomas,1990 (Arctiidae) Synonym(s): *philippina* Thomas,1990
58. *Macrobrochis borneensis* Roepke,1938 (Arctiidae) Synonym(s): *borneensis* Roepke,1938
59. *Malesia cana* Cerny,2014 (Arctiidae) Synonym(s): *cana* Cerny,2014
60. *Malesia luzonao* Cerny,2014 (Arctiidae) Synonym(s): *luzonao* Cerny,2014
61. *Metuegoa malesiana* Cerny,2014 (Arctiidae) Synonym(s): *malesiana* Cerny,2014
62. *Metuegoa ochrivena* (Hampson,1898) (Arctiidae) Synonym(s): *ochrivena* Hampson,1898; *japonica* Strand,1917
63. *Mitochrista obscura* Semper,1899 (Arctiidae) Synonym(s): *obscura* Semper,1899
64. *Nudaria punctata* (Semper,1899) (Arctiidae) Synonym(s): *punctata* Semper,1899
65. *Nyctemera* (Arctata) *browni* (Schultze,1908) (Arctiidae) Synonym(s): *browni* Schultze,1908; *conjuncta* Wileman,1915
66. *Nyctemera* (Arctata) *consobriniformis* Vos & Cerny,1999 (Arctiidae) Synonym(s): *consobriniformis* Vos & Cerny,1999
67. *Nyctemera* (Arctata) *kishidai* Vos & Cerny,1999 (Arctiidae) Synonym(s): *apoensis* Kishida,1994 nec Smp.,1899; *kishidai* Vos & Cerny,1999
68. *Nyctemera* (Arctata) *lunulata* Vos & Cerny,1999 (Arctiidae) Synonym(s): *lunulata* Vos & Cerny,1999
69. *Nyctemera* (Arctata) *robusta* Vos & Cerny,1999 (Arctiidae) Synonym(s): *robusta* Vos & Cerny,1999
70. *Nyctemera* (Arctata) *undulata* Vos & Cerny,1999 (Arctiidae) Synonym(s): *undulata* Vos & Cerny,1999
71. *Nyctemera* (Coleta) *coleta* (Stoll,[1781]) (Arctiidae) Synonym(s): *coleta* Stoll,[1781]
72. *Nyctemera* (Deilemera) *luzonica* (Swinhoe,1917) (Arctiidae) Synonym(s): *luzonica* Swinhoe,1917
73. *Nyctemera* (Luctuosana) *contrasta* De Vos & Cerny,1999 (Arctiidae) Synonym(s): *contrasta* De Vos & Cerny,1999
74. *Nyctemera* (Orphanos) *adversata* (Schaller,1788) (Arctiidae) Synonym(s): *adversata* Schaller,1788; *plagifera* Walker,1854.
75. *Nyctemera* (Orphanos) *apensis* Semper,1899 (Arctiidae) Synonym(s): *apensis* Semper,1899
76. *Nyctemera* (Orphanos) *radiata* Walker,1856 (Arctiidae) Synonym(s): *radiata* Walker,1856; *alternata* Walker,1866; *proprium* Swinhoe,1892; *eryla* Semper,1899; *convexa* Semper,1899; *loligo* Seitz,1915
77. *Pareuchaetes pseudoinsulata* Rego-Barros,1956 (Arctiidae) Synonym(s): *pseudoinsulata* Rego-Barros,1956
78. *Scaptosyle incerta* Semper,1899 (Arctiidae) Synonym(s): *incerta* Semper,1899
79. *Spilarctia balthazarae* (Cerny,1995) (Arctiidae) Synonym(s): *balthazarae* Cerny,1995
80. *Spilarctia harlequina* (Cerny,2011) (Arctiidae) Synonym(s): *harlequina* Cerny,2011
81. *Spilarctia kareli* (Thomas,1993) (Arctiidae) Synonym(s): *kareli* Thomas,1993
82. *Spilarctia mindanao* Dubatolov & Kishida,2010 (Arctiidae) Synonym(s): *mindanao* Dubatolov & Kishida,2010; *trikenzana* Cerny,2011
83. *Spilarctia philippina* (Dubatolov & Kishida,2006) (Arctiidae) Synonym(s): *philippina* Dubatolov & Kishida,2006
84. *Spilarctia victorina* (Cerny,2011) (Arctiidae) Synonym(s): *victorina* Cerny,2011
85. *Spilosoma metarhoda* Walker,1856 (Arctiidae) Synonym(s): *metarhoda* Walker,1856
86. *Spilosoma mollis* Cerny,2011 (Arctiidae) Synonym(s): *mollis* Cerny,2011
87. *Spilosoma strigatula* Walker,1855 (Arctiidae) Synonym(s): *strigatula* Walker,1855; *cervina* Wallengren,1864
88. *Spilosoma trikenzana* Cerny,2011 (Arctiidae) Synonym(s): *trikenzana* Cerny,2011
89. *Spilosoma vandepolli* (Rothschild,1910) (Arctiidae) Synonym(s): *vandepolli* Rothschild,1910
90. *Spilosoma virgulae* Cerny,2011 (Arctiidae) Synonym(s): *virgulae* Cerny,2011
91. *Stictane costinotata* (Wileman & South,1919) (Arctiidae) Synonym(s): *costinotata* Wileman & South,1919
92. *Tinoliodes benguetensis* Wileman,1915 (Arctiidae) Synonym(s): *benguetensis* Wileman,1915
93. *Trischalis appendicina* Cerny,2014 (Arctiidae) Synonym(s): *appendicina* Cerny,2014
94. *Trischalis homburquera* Cerny,2014 (Arctiidae) Synonym(s): *homburquera* Cerny,2014
95. *Utetheisa* (Pitasila) *flavothoracica* De Vos,2007 (Arctiidae) Synonym(s): *flavothoracica* De Vos,2007
96. *Utetheisa* (Pitasila) *mendax* De Vos,2007 (Arctiidae) Synonym(s): *mendax* De Vos,2007
97. *Utetheisa* (Pitasila) *witti* De Vos,2007 (Arctiidae) Synonym(s): *witti* De Vos,2007
98. *Utetheisa* (s.str.) *lotrix* (Cramer,[1777]) (Arctiidae) Synonym(s): *lotrix* Cramer,[1777]; *indica* Roepke,1941
99. *Xanthetis luzonica* (Felder & Rogenhofer,1875) (Arctiidae) Synonym(s): *luzonica* Felder & Rogenhofer,1875; *naringa* Swinhoe,1892; *obiensis* Rothschild,1913
100. *Andraca paradisea* Zolotuhin,2012 (Bombycidae) Synonym(s): *paradisea* Zolotuhin,2012
101. *Ernolatia lida* (Moore,[1860]) (Bombycidae) Synonym(s): *lida* Moore,[1860]; *signata* Walker,1862
102. *Penicillifera apicalis* (Walker,1862) (Bombycidae) Synonym(s): *apicalis* Walker,1862; *signifera* Walker,1862

103. **Brahmaea (Brahmophthalma) hearseyi White,[1862]** (Brahmaeidae) Synonym(s): hearseyi White,[1862]; whitei Butler,1866
104. **Brahmaea (Brahmophthalma) naessigi S.Naumann & Brosch,2005** (Brahmaeidae) Synonym(s): naessigi S.Naumann & Brosch,2005
105. **Petavia mindanensis (Pagenstecher,1887)** (Callidulidae) Synonym(s): mindanensis Pagenstecher,1887
106. **Heterogymna melanocrypta Diakonoff,[1968]** (Carposinidae) Synonym(s): melanocrypta Diakonoff,[1968]
107. **Meridarchis bifracta Diakonoff,[1968]** (Carposinidae) Synonym(s): bifracta Diakonoff,[1968]
108. **Meridarchis scythophyes Diakonoff,[1968]** (Carposinidae) Synonym(s): scythophyes Diakonoff,[1968]
109. **Anatrachyntis simplex (Walsingham,1891)** (Cosmopterigidae) Synonym(s): simplex Walsingham,1891; gossypiella Walsingham,1906; hemizopha Meyrick,1916; repandatella Legrand,1965; flexiloquella Riedl,1994
110. **Cosmopterix latilineata Kuroko,1987** (Cosmopterigidae) Synonym(s): latilineata Kuroko,1987
111. **Cosmopterix ornithognatosella Mey,1998** (Cosmopterigidae) Synonym(s): ornithognatosella Mey,1998
112. **Craterobathra argyracma Diakonoff,[1968]** (Cosmopterigidae) Synonym(s): argyracma Diakonoff,[1968]
113. **Craterobathra demarcata Diakonoff,[1968]** (Cosmopterigidae) Synonym(s): demarcata Diakonoff,[1968]
114. **Craterobathra ornata Diakonoff,[1968]** (Cosmopterigidae) Synonym(s): ornata Diakonoff,[1968]
115. **"Cossus" lepta West,1932** (Cossidae) Synonym(s): lepta West,1932
116. **Orientozeuzera meyi Yakovlev,2011** (Cossidae) Synonym(s): meyi Yakovlev,2011
117. **Trismelasmos mindanao Yakovlev,2011** (Cossidae) Synonym(s): mindanao Yakovlev,2011
118. **Amata geon (Druce,1885)** (Ctenuchidae) Synonym(s): geon Druce,1885
119. **Amata mindanaoensis Wileman,1916** (Ctenuchidae) Synonym(s): mindanaoensis Wileman,1916
120. **Amata philippinensis (Hampson,1907)** (Ctenuchidae) Synonym(s): philippinensis Hampson,1907
121. **Amata sibulana (Semper,1898)** (Ctenuchidae) Synonym(s): sibulana Semper,1898
122. **Ceryx chea (Druce,1895)** (Ctenuchidae) Synonym(s): chea Druce,1895
123. **Ceryx flaviplaga Hampson,1898** (Ctenuchidae) Synonym(s): flaviplaga Hampson,1898
124. **Macrauzata limpidata Inoue,1993** (Drepanidae) Synonym(s): limpidata Inoue,1993
125. **Nordstromia coffeata Inoue,1992** (Drepanidae) Synonym(s): coffeata Inoue,1992
126. **Ethmia praeclara Meyrick,1910** (Ethmiidae) Synonym(s): praeclara Meyrick,1910
127. **Melanothrix semperi Rothschild,1917** (Eupterotidae) Synonym(s): semperi Rothschild,1917
128. **Pseudoganisa currani Schultze,1910** (Eupterotidae) Synonym(s): currani Schultze,1910; gonioptera West,1932
129. **Pseudojana clemensi Schultze,1907** (Eupterotidae) Synonym(s): clemensi Schultze,1907
130. **Abraxas (Calospilos) breueri Stüning & Hausmann,2002** (Geometridae) Synonym(s): breueri Stüning & Hausmann,2002
131. **Achrosis selinae K.R.Beck & Karisch,2008** (Geometridae) Synonym(s): selinae K.R.Beck & Karisch,2008
132. **Agathia spadicea Yazaki,1996** (Geometridae) Synonym(s): spadicea Yazaki,1996
133. **Agathia spectabilis Yazaki,1996** (Geometridae) Synonym(s): spectabilis Yazaki,1996
134. **Alcis antincta Sato,1996** (Geometridae) Synonym(s): antincta Sato,1996
135. **Alcis kitangladensis Sato,1996** (Geometridae) Synonym(s): kitangladensis Sato,1996
136. **Alcis mindanalis Sato,1996** (Geometridae) Synonym(s): mindanalis Sato,1996
137. **Alcis perplexa Sato,1996** (Geometridae) Synonym(s): perplexa Sato,1996
138. **Amblychia lutulenta (West,1929)** (Geometridae) Synonym(s): lutulenta West,1929
139. **Amblychia praeumbrata (W.Warren,1893)** (Geometridae) Synonym(s): praeumbrata W.Warren,1893; moesta W.Warren,1894
140. **Amblychia rotundata Semper,1901** (Geometridae) Synonym(s): rotundata Semper,1901
141. **Amraica recursaria (Walker,1860)** (Geometridae) Synonym(s): recursaria Walker,1860; ferrolavata Walker,[1863]; fortissima Moore,1888
142. **Amraica solivagaria (Walker,1866)** (Geometridae) Synonym(s): solivagaria Walker,1866; ponderata Felder & Rogenhofer,1875
143. **Biston subflavus Inoue,1985** (Geometridae) Synonym(s): subflavus Inoue,1985
144. **Borbacha punctipardaria Holloway,1982** (Geometridae) Synonym(s): punctipardaria Holloway,1982
145. **Bracca georgiata (Guenée,[1858])** (Geometridae) Synonym(s): georgiata Guenée,[1858]; subradiata W.Warren,1899
146. **Bracca monochrias (Meyrick,1897)** (Geometridae) Synonym(s): monochrias Meyrick,1897; cuneiplena Swinhoe,1900; benguetana Schultze,1925
147. **Celerena semperi L.B.Prout,1916** (Geometridae) Synonym(s): semperi L.B.Prout,1916
148. **Chlorochromodes tumona Teutel,2016** (Geometridae) Synonym(s): tumona Teutel,2016
149. **Chorodna mindanensis Sato,1996** (Geometridae) Synonym(s): mindanensis Sato,1996
150. **Cleora alienaria (Walker,1860)** (Geometridae) Synonym(s): alienaria Walker,1860; gelidaria Walker,1863; rasanaria Swinhoe,1915; fumipennis L.B.Prout,1929
151. **Cleora bukidnonensis Sato,2012** (Geometridae) Synonym(s): bukidnonensis Sato,2012
152. **Cleora concentraria (Snellen,1877)** (Geometridae) Synonym(s): concentraria Snellen,1877; invalidaria Snellen,1895; praia Prout,1928; inobeda Prout,1929
153. **Cleora contiguata (Moore,1868)** (Geometridae) Synonym(s): contiguata Moore,1868
154. **Cleora copia Sato,1997** (Geometridae) Synonym(s): copia Sato,1997
155. **Cleora dacasini Herbulot,1981** (Geometridae) Synonym(s): dacasini Herbulot,1981; inopinata Sato,1989
156. **Cleora decisaria (Walker,1866)** (Geometridae) Synonym(s): decisaria Walker,1866; callicrossa Meyrick,1889; gilva Scott,1893; psychastis Scott,1893; amphidoxa L.B.Prout,1937; nigristigma L.B.Prout,1937

157. *Cleora injectaria* (Walker, 1860) (Geometridae) Synonym(s): *injectaria* Walker, 1860; *compactaria* Walker, [1863]; *sublectaria* Walker, [1863]; *fuliginosa* W. Warren, 1894; *vittata* W. Warren, 1899; *dobboensis* L.B. Prout, 1929; *anidryta* L.B. Prout, 1929
158. *Cleora inoffensa* (Swinhoe, 1902) (Geometridae) Synonym(s): *inoffensa* Swinhoe, 1902
159. *Cleora onycha* (D.S. Fletcher, 1953) (Geometridae) Synonym(s): *onycha* D.S. Fletcher, 1953
160. *Cleora pendleburyi* L.B. Prout, 1929 (Geometridae) Synonym(s): *pendleburyi* L.B. Prout, 1929
161. *Cleora propulsaria* (D.S. Fletcher, 1953) (Geometridae) Synonym(s): *propulsaria* D.S. Fletcher, 1953
162. *Cleora pupillata* (Walker, 1860) (Geometridae) Synonym(s): *pupillata* Walker, 1860
163. *Cleora repetita* (Butler, 1882) (Geometridae) Synonym(s): *repetita* Butler, 1882
164. *Cleora tella* (West, 1929) (Geometridae) Synonym(s): *tella* West, 1929
165. *Cleora telloides* Sato, 1989 (Geometridae) Synonym(s): *telloides* Sato, 1989
166. *Comostola callista* West, 1930 (Geometridae) Synonym(s): *callista* West, 1930
167. *Craspedosis picoides* West, 1929 (Geometridae) Synonym(s): *picoides* West, 1929
168. *Cryptomedasina masuii* Sato, 2002 (Geometridae) Synonym(s): *masuii* Sato, 2002
169. *Ctimene spilognota* L.B. Prout, 1931 (Geometridae) Synonym(s): *spilognota* L.B. Prout, 1931
170. *Dasyboarmia bantanakai* Sato, 2007 (Geometridae) Synonym(s): *bantanakai* Sato, 2007
171. *Dindica owadai* Inoue, 1990 (Geometridae) Synonym(s): *owadai* Inoue, 1990
172. *Diplurodes inundata* L.B. Prout, 1929 (Geometridae) Synonym(s): *inundata* L.B. Prout, 1929
173. *Diplurodes lativalva* Sato, 1999 (Geometridae) Synonym(s): *lativalva* Sato, 1999
174. *Diplurodes mindana* Sato, 1999 (Geometridae) Synonym(s): *mindana* Sato, 1999
175. *Diplurodes schintlmeisteri* Sato, 1999 (Geometridae) Synonym(s): *schintlmeisteri* Sato, 1999
176. *Diplurodes sinecoremata* Holloway, [1994] (Geometridae) Synonym(s): *sinecoremata* Holloway, [1994]
177. *Diplurodes spinivalva* Sato, 1999 (Geometridae) Synonym(s): *spinivalva* Sato, 1999
178. *Diplurodes subdecursaria* Sato, 1999 (Geometridae) Synonym(s): *subdecursaria* Sato, 1999
179. *Diplurodes tanakai* Sato, 1999 (Geometridae) Synonym(s): *tanakai* Sato, 1999
180. *Diplurodes vermoleni* Sato, 1999 (Geometridae) Synonym(s): *vermoleni* Sato, 1999
181. *Dooabia owadai* Yazaki, 1986 (Geometridae) Synonym(s): *owadai* Yazaki, 1986
182. *Ectropidia altpirimata* Holloway, [1994] (Geometridae) Synonym(s): *altpirimata* Holloway, [1994]
183. *Ectropidia exprimata* (Walker, 1861) (Geometridae) Synonym(s): *exprimata* Walker, 1861
184. *Ectropidia fimbripedata* W. Warren, 1900 (Geometridae) Synonym(s): *fimbripedata* W. Warren, 1900
185. *Ectropidia philippidaria* Sato, 2002 (Geometridae) Synonym(s): *philippidaria* Sato, 2002
186. *Ectropis pais* L.B. Prout, 1931 (Geometridae) Synonym(s): *pais* L.B. Prout, 1931; *ischnadelpha* L.B. Prout, 1932
187. *Electrophaes* sp. (Geometridae) Synonym(s): -
188. *Eois polycyma* (West, 1930) (Geometridae) Synonym(s): *polycyma* West, 1930
189. *Eretmopus marinaria* (Guenée, [1858]) (Geometridae) Synonym(s): *marinaria* Guenée, [1858]; *penicillata* Walker, 1861; *retensa* L.B. Prout, 1931
190. *Eucyclodes hiyasata* Tautel, 2016 (Geometridae) Synonym(s): *hiyasata* Tautel, 2016
191. *Fascellina arcipotens* L.B. Prout, 1931 (Geometridae) Synonym(s): *arcipotens* L.B. Prout, 1931
192. *Fascellina castanea* Moore, 1877 (Geometridae) Synonym(s): *castanea* Moore, 1877; *albidiscata* W. Warren, 1894; *hypochryseis* Swinhoe, 1894; *hypocausta* L.B. Prout, 1931
193. *Fascellina hypocausta* L.B. Prout, 1931 (Geometridae) Synonym(s): *hypocausta* L.B. Prout, 1931
194. *Fritillerinnys clathraria* (W. Warren, 1895) (Geometridae) Synonym(s): *clathraria* W. Warren, 1895
195. *Gonodontis pallida* (Butler, 1880) (Geometridae) Synonym(s): *pallida* Butler, 1880
196. *Heterostegane insulata* W. Warren, 1898 (Geometridae) Synonym(s): *insulata* W. Warren, 1898; *kuehni* W. Warren, 1902; *galinaria* Swinhoe, 1902; *deludens* W. Warren, 1907; *retessellata* West, 1929
197. *Hydatocapnia fimbriata* Yazaki, 1987 (Geometridae) Synonym(s): *fimbriata* Yazaki, 1987
198. *Hypephyra (Visitara) speciosa* Yazaki, 1993 (Geometridae) Synonym(s): *speciosa* Yazaki, 1993
199. *Hypochrosis flagrans* West, 1929 (Geometridae) Synonym(s): *flagrans* West, 1929
200. *Hypochrosis hausmanni* Koçak & Kemal, 2008 (Geometridae) Synonym(s): *prouti* West, 1929 *nec* B.-B., 1915; *hausmanni* Koçak & Kemal, 2008; *westi* Yazaki, 2018
201. *Hypochrosis inexpecta* Yazaki, 2018 (Geometridae) Synonym(s): *inexpecta* Yazaki, 2018
202. *Hypochrosis distincta* Yazaki, 2018 (Geometridae) Synonym(s): *distincta* Yazaki, 2018
203. *Hypochrosis hyadaria* Guenée, [1858] (Geometridae) Synonym(s): *hyadaria* Guenée, [1858]; *ignivorata* Walker, [1863]; *obliquaria* Moore, 1888
204. *Hypochrosis zoota* West, 1929 (Geometridae) Synonym(s): *zoota* West, 1929
205. *Hypomecis philippinensis* Sato, 1996 (Geometridae) Synonym(s): *philippinensis* Sato, 1996
206. *Hypomecis separata* (Walker, 1860) (Geometridae) Synonym(s): *separata* Walker, 1860; *retractaria* Walker, 1860; *intectaria* Walker, 1862
207. *Hypomecis tetragonata* (Walker, [1863]) (Geometridae) Synonym(s): *tetragonata* Walker, [1863]; *deficiens* Moore, 1888; *pallidiplaga* W. Warren, 1899
208. *Hyposidra leucomela* (Walker, 1866) (Geometridae) Synonym(s): *leucomela* Walker, 1866; *leptosoma* R. Felder & Rogenhofer, 1875; *lactemaculata* W. Warren, 1898; *nigrivincula* Schultze, 1907
209. *Hyposidra talaca* (Walker, 1860) (Geometridae) Synonym(s): *talaca* Walker, 1860; *deceptatura* Walker, 1860; *decipiens* Walker, 1860; *rigusaria* Walker, [1863]; *bombycaria* Walker, 1866; *vampyraria* Snellen, 1881; *myciterna* Druce, 1889; *flaccida* Lucas, 1894; *khasiana* W. Warren, 1894; *schistacea* W. Warren, 1896; *grisea* W. Warren, 1902
210. *Inouea cyclobalia* (West, 1929) (Geometridae) Synonym(s): *cyclobalia* West, 1929
211. *Inouea hiroshii* Stüning, 2002 (Geometridae) Synonym(s): *hiroshii* Stüning, 2002
212. *Iridoplecta ferrifera* (Moore, 1888) (Geometridae) Synonym(s): *ferrifera* Moore, 1888

- 213. *Iulotrichia muhabbet* Koçak, 2006** (Geometridae) **Synonym(s):** *decursaria* Walker, 1860 nec Wlk., 1860; *muhabbet* Koçak, 2006
- 214. *Jodis tornopunctata* Teutel, 2016** (Geometridae) **Synonym(s):** *tornopunctata* Teutel, 2016
- 215. *Krananda semihyalina* Moore, [1868]** (Geometridae) **Synonym(s):** *semihyalina* Moore, [1868]; *vitraria* R. Felder & Rogenhofer, 1875
- 216. *Lassaba acribomena* (L.B. Prout, 1928)** (Geometridae) **Synonym(s):** *acribomena* L.B. Prout, 1928
- 217. *Lophophelma eupines* (West, 1930)** (Geometridae) **Synonym(s):** *eupines* West, 1930
- 218. *Marobia philippinica* Sato, 1998** (Geometridae) **Synonym(s):** *philippinica* Sato, 1998
- 219. *Menophra subpilosa* (W. Warren, 1894)** (Geometridae) **Synonym(s):** *subpilosa* W. Warren, 1894; *instigata* L.B. Prout, 1929
- 220. *Metallophora medullosa* Inoue, 1988** (Geometridae) **Synonym(s):** *medullosa* Inoue, 1988
- 221. *Milionia coalescens* Semper, 1901** (Geometridae) **Synonym(s):** *coalescens* Semper, 1901
- 222. *Milionia lamprobasis* Inoue, 1992** (Geometridae) **Synonym(s):** *lamprobasis* Inoue, 1992
- 223. *Milionia philippinensis* Rothschild, 1895** (Geometridae) **Synonym(s):** *philippinensis* Rothschild, 1895
- 224. *Myrioblephara macrosimplaria* Sato, 2002** (Geometridae) **Synonym(s):** *macrosimplaria* Sato, 2002
- 225. *Myrioblephara plumosa* (Semper, 1901)** (Geometridae) **Synonym(s):** *plumosa* Semper, 1901
- 226. *Myrioblephara semperi* Sato, 2002** (Geometridae) **Synonym(s):** *semperi* Sato, 2002
- 227. *Myrioblephara tranostigma* (L.B. Prout, 1931)** (Geometridae) **Synonym(s):** *tranostigma* L.B. Prout, 1931
- 228. *Nigriplephara cheyi* Holloway, [1994]** (Geometridae) **Synonym(s):** *cheyi* Holloway, [1994]
- 229. *Ourapteryx fulvinervis* (W. Warren, 1894)** (Geometridae) **Synonym(s):** *fulvinervis* W. Warren, 1894
- 230. *Oxymacaria psilotes* (West, 1929)** (Geometridae) **Synonym(s):** *psilotes* West, 1929
- 231. *Pingasa manilensis* L.B. Prout, 1916** (Geometridae) **Synonym(s):** *manilensis* L.B. Prout, 1916
- 232. *Pingasa subpurpurea* W. Warren, 1897** (Geometridae) **Synonym(s):** *subpurpurea* W. Warren, 1897
- 233. *Plutodes magdelinae* Stüning, 2010** (Geometridae) **Synonym(s):** *magdelinae* Stüning, 2010
- 234. *Probithia exclusa* (Walker, 1860)** (Geometridae) **Synonym(s):** *exclusa* Walker, 1860; *praetereuns* Walker, 1860; *lignaria* Walker, 1866; *frenata* R. Felder & Rogenhofer, [1875]
- 235. *Problepsis apollinaria* (Guenée, [1858])** (Geometridae) **Synonym(s):** *apollinaria* Guenée, [1858]; *hemicyclata* W. Warren, 1897; *candidior* L.B. Prout, 1917; *deparcata* L.B. Prout, 1925; *wilemani* West, 1930; *aphylacta* L.B. Prout, 1938
- 236. *Protuliocnemis biplagiata* (Moore, [1887])** (Geometridae) **Synonym(s):** *biplagiata* Moore, [1887]; *elegans* W. Warren, 1899; *subornataria* Rothschild, 1915; *unidentata* L.B. Prout, 1916; *ceramicaria* Oberthür, 1916; *rookaria* Oberthür, 1916; *negligens* L.B. Prout, 1925; *reducta* Holloway, 1979
- 237. *Pseudeuchromia maculifera* (R. Felder & Rogenhofer, 1875)** (Geometridae) **Synonym(s):** *maculifera* R. Felder & Rogenhofer, 1875; *adaucta* W. Warren, 1897; *septemnotata* W. Warren, 1897; *curzola* Swinhoe, 1902; *catachroma* Schultze, 1907; *chrysaugina* Bastelberger, 1907
- 238. *Pseudobraccia biplagiata* (Semper, 1901)** (Geometridae) **Synonym(s):** *biplagiata* Semper, 1901
- 239. *Pseudobraccia imitatrix* W. Warren, 1895** (Geometridae) **Synonym(s):** *imitatrix* W. Warren, 1895; *latimargo* Semper, 1901
- 240. *Pullichroma pullicosta* (L.B. Prout, 1931)** (Geometridae) **Synonym(s):** *pullicosta* L.B. Prout, 1931
- 241. *Sarcinodes variabilis* Yazaki, 1988** (Geometridae) **Synonym(s):** *variabilis* Yazaki, 1988
- 242. *Sarcinodes flavicans* Yazaki, 1988** (Geometridae) **Synonym(s):** *flavicans* Yazaki, 1988
- 243. *Sarcinodes ornatus* Yazaki, 2019** (Geometridae) **Synonym(s):** *ornatus* Yazaki, 2019
- 244. *Scopula succrassula* L.B. Prout, 1931** (Geometridae) **Synonym(s):** *succrassula* L.B. Prout, 1931
- 245. *Spaniocentra agathoides* L.B. Prout, 1931** (Geometridae) **Synonym(s):** *agathoides* L.B. Prout, 1931
- 246. *Tanaorhinus philippinensis* Yazaki, 1995** (Geometridae) **Synonym(s):** *philippinensis* Yazaki, 1995
- 247. *Tanaorhinus waterstradti* L.B. Prout, 1933** (Geometridae) **Synonym(s):** *waterstradti* L.B. Prout, 1933
- 248. *Traminda aventiaria* (Guenée, [1858])** (Geometridae) **Synonym(s):** *aventiaria* Guenée, [1858]; *molybdias* Meyrick, 1889.
- 249. *Xandrames latiferaria* (Walker, 1860)** (Geometridae) **Synonym(s):** *latiferaria* Walker, 1860; *curvistriga* W. Warren, 1894; *cnecozona* L.B. Prout, 1926; *mulsa* L.B. Prout, 1935; *recondita* Inoue, 1982
- 250. *Xerodes philippinensis* Sato, 2003** (Geometridae) **Synonym(s):** *philippinensis* Sato, 2003
- 251. *Xerodes ypsaria* Guenée, [1858]** (Geometridae) **Synonym(s):** *ypsaria* Guenée, [1858]; *testacearia* Moore, 1868
- 252. *Zythos turbata* (Walker, 1862)** (Geometridae) **Synonym(s):** *turbata* Walker, 1862; *strigularia* Snellen, 1880
- 253. *Alompra ferruginea* Moore, 1872** (Lasiocampidae) **Synonym(s):** *ferruginea* Moore, 1872
- 254. *Elegantata cassandra* Zolotuhin, Treadaway & Witt, 1998** (Lasiocampidae) **Synonym(s):** *cassandra* Zolotuhin, Treadaway & Witt, 1998
- 255. *Gastropacha (Estigena) philippinensis* Tams, 1935** (Lasiocampidae) **Synonym(s):** *philippinensis* Tams, 1935
- 256. *Gastropacha (Estigena) prionophora* Tams, 1935** (Lasiocampidae) **Synonym(s):** *prionophora* Tams, 1935
- 257. *Kunugia dendrolimoides* Zolotuhin, Treadaway & Witt, 1998** (Lasiocampidae) **Synonym(s):** *dendrolimoides* Zolotuhin, Treadaway & Witt, 1998
- 258. *Kunugia latipennis* (Walker, 1855)** (Lasiocampidae) **Synonym(s):** *latipennis* Walker, 1855; *basimacula* Walker, 1862; *purpurascens* Moore, 1884; *sumatrae* Swinhoe, 1916; *basidiscata* Holloway, 1982; *dongchuaensis* Tsai & Hou, 1983
- 259. *Kunugia magellani* (De Lajonquière, 1978)** (Lasiocampidae) **Synonym(s):** *magellani* De Lajonquière, 1978
- 260. *Kunugia mervillei* Zolotuhin, Treadaway & Witt, 1998** (Lasiocampidae) **Synonym(s):** *mervillei* Zolotuhin, Treadaway & Witt, 1998
- 261. *Kunugia pippae* Zolotuhin, Treadaway & Witt, 1998** (Lasiocampidae) **Synonym(s):** *pippae* Zolotuhin, Treadaway & Witt, 1998
- 262. *Lebeda gigantea* Kishida, 1992** (Lasiocampidae) **Synonym(s):** *gigantea* Kishida, 1992
- 263. *Lebeda intermedia* Holloway, 1987** (Lasiocampidae) **Synonym(s):** *intermedia* Holloway, 1987

- 264. *Lebeda metaspila* (Walker, 1865)** (Lasiocampidae) Synonym(s): *metaspila* Walker, 1865
- 265. *Metanastria hyrtaca* (Cramer, [1779])** (Lasiocampidae) Synonym(s): *hyrtaca* Cramer, [1779]
- 266. *Metanastria jani* Zolotuhin, Treadaway & Witt, 1998** (Lasiocampidae) Synonym(s): *jani* Zolotuhin, Treadaway & Witt, 1998
- 267. *Metanastria marmorata* Zolotuhin, Treadaway & Witt, 1998** (Lasiocampidae) Synonym(s): *marmorata* Zolotuhin, Treadaway & Witt, 1998
- 268. *Metanastria pika* Zolotuhin, Treadaway & Witt, 1998** (Lasiocampidae) Synonym(s): *pika* Zolotuhin, Treadaway & Witt, 1998
- 269. *Metanastria trefa* Zolotuhin, Treadaway & Witt, 1998** (Lasiocampidae) Synonym(s): *trefa* Zolotuhin, Treadaway & Witt, 1998
- 270. *Odonestis apo* Zolotuhin, Treadaway & Witt, 1998** (Lasiocampidae) Synonym(s): *apo* Zolotuhin, Treadaway & Witt, 1998
- 271. *Odonestis leopoldi* Tams, 1935** (Lasiocampidae) Synonym(s): *leopoldi* Tams, 1935
- 272. *Odonestis vita* Moore, 1859** (Lasiocampidae) Synonym(s): *vita* Moore, 1859
- 273. *Paralebeda achillesi* Zolotuhin, Treadaway & Witt, 1998** (Lasiocampidae) Synonym(s): *achillesi* Zolotuhin, Treadaway & Witt, 1998
- 274. *Paralebeda crinodes* (R. Felder, 1868)** (Lasiocampidae) Synonym(s): *crinodes* R. Felder, 1868
- 275. *Paralebeda lagua* Zolotuhin, Treadaway & Witt, 1998** (Lasiocampidae) Synonym(s): *lagua* Zolotuhin, Treadaway & Witt, 1998
- 276. *Suana concolor* (Walker, 1855)** (Lasiocampidae) Synonym(s): *concolor* Walker, 1855; *bimaculata* Walker, 1855; *ampla* Walker, 1855; *cervina* Moore, 1879; *riemsdyki* Heylaerts, 1889
- 277. *Syrastrena lanaoensis* Tams, 1935** (Lasiocampidae) Synonym(s): *lanaoensis* Tams, 1935
- 278. *Trabala danao* Zolotuhin, Treadaway & Witt, 1998** (Lasiocampidae) Synonym(s): *danao* Zolotuhin, Treadaway & Witt, 1998
- 279. *Trabala durga* Roepke, 1951** (Lasiocampidae) Synonym(s): *durga* Roepke, 1951; *mahadeva* Roepke, 1951
- 280. *Trabala ganeshia* Roepke, 1951** (Lasiocampidae) Synonym(s): *ganeshia* Roepke, 1951
- 281. *Trabala irrorata* Moore, 1884** (Lasiocampidae) Synonym(s): *irrorata* Moore, 1884
- 282. *Trabala krishna* Roepke, 1951** (Lasiocampidae) Synonym(s): *krishna* Roepke, 1951
- 283. *Trabala mahatma* Roepke, 1951** (Lasiocampidae) Synonym(s): *mahatma* Roepke, 1951
- 284. *Trabala rama* Roepke, 1951** (Lasiocampidae) Synonym(s): *rama* Roepke, 1951
- 285. *Trabala sudara* Roepke, 1951** (Lasiocampidae) Synonym(s): *sudara* Roepke, 1951
- 286. *Trabala viridana* Joicey & Talbot, 1917** (Lasiocampidae) Synonym(s): *viridana* Joicey & Talbot, 1917
- 287. *Coproptilia tawiensis* Park, 2009** (Lecithoceridae) Synonym(s): *tawiensis* Park, 2009
- 288. *Lecithocera distigmata* Park & Mey, 2016** (Lecithoceridae) Synonym(s): *distigmata* Park & Mey, 2016
- 289. *Lecithocera improvisa* Diakonoff, [1968]** (Lecithoceridae) Synonym(s): *improvisa* Diakonoff, [1968]
- 290. *Lecithocera insulana* Park & Mey, 2016** (Lecithoceridae) Synonym(s): *insulana* Park & Mey, 2016
- 291. *Lecithocera strenua* Diakonoff, [1968]** (Lecithoceridae) Synonym(s): *strenua* Diakonoff, [1968]
- 292. *Homaloxestis alopecopa* Meyrick, 1929** (Lecithoceridae) Synonym(s): *alopecopa* Meyrick, 1929
- 293. *Homaloxestis cholopis* (Meyrick, 1906)** (Lecithoceridae) Synonym(s): *cholopis* Meyrick, 1906; *lophophora* Janse, 1954; *surrepta* Diakonoff, [1968]
- 294. *Homaloxestis plocamandra* (Meyrick, 1907)** (Lecithoceridae) Synonym(s): *plocamandra* Meyrick, 1907
- 295. *Birithama congrua* (Walker, 1862)** (Limacodidae) Synonym(s): *congrua* Walker, 1862; *simplex* Snellen, 1900
- 296. *Cania* (Paracania) *cocki* Holloway, 1987** (Limacodidae) Synonym(s): *cocki* Holloway, 1987
- 297. *Cania* (Paracania) *lourensi* Solovyev, 2014** (Limacodidae) Synonym(s): *lourensi* Solovyev, 2014
- 298. *Cania* (s.str.) *bandura* (Moore, [1860])** (Limacodidae) Synonym(s): *bandura* Moore, [1860]; *malaccana* Walker, 1865
- 299. *Chalcocelis albiguttatus* (Snellen, 1879)** (Limacodidae) Synonym(s): *albiguttatus* Snellen, 1879; *fumifera* Swinhoe, 1890; *nigriplaga* Heylaerts, 1890; *sanguineomaculata* Heylaerts, 1890; *pulchrimacula* Hulstaert, 1924
- 300. *Chalcocelis wilemani* West, 1937** (Limacodidae) Synonym(s): *wilemani* West, 1937
- 301. *Parasa anchutka* Solovyev, 2011** (Limacodidae) Synonym(s): *anchutka* Solovyev, 2011
- 302. *Pseudonirmides sola* (Swinhoe, 1901)** (Limacodidae) Synonym(s): *sola* Swinhoe, 1901; *luzonensis* M. Hering, 1931
- 303. *Arctornis semihyalina* (Swinhoe, 1904)** (Lymantriidae) Synonym(s): *semihyalina* Swinhoe, 1904; *lepta* Collenette, 1932
- 304. *Calliteara argyroides* (Collenette, 1932)** (Lymantriidae) Synonym(s): *argyroides* Collenette, 1932
- 305. *Calliteara horsfieldii* (Saunders, 1851)** (Lymantriidae) Synonym(s): *horsfieldii* Saunders, 1851; *arga* Moore, 1859; *longipennis* Walker, 1862; *nilgirica* Hampson, 1891; *farenoides* Lucas, 1892; *horsfieldi* Strand, 1915
- 306. *Cispia fasciata* Semper, 1899** (Lymantriidae) Synonym(s): *fasciata* Semper, 1899
- 307. *Cispia grisea* Semper, 1899** (Lymantriidae) Synonym(s): *grisea* Semper, 1899
- 308. *Cozola geometrica* (Semper, 1899)** (Lymantriidae) Synonym(s): *geometrica* Semper, 1899
- 309. *Dasychira grata* Hulstaert, 1923** (Lymantriidae) Synonym(s): *grata* Hulstaert, 1923
- 310. *Dura amiantha* Collenette, 1932** (Lymantriidae) Synonym(s): *amiantha* Collenette, 1932; *eucraera* Collenette, 1949
- 311. *Euproctis albovenosa* (Semper, 1899)** (Lymantriidae) Synonym(s): *albovenosa* Semper, 1899
- 312. *Euproctis angusta* Semper, 1899** (Lymantriidae) Synonym(s): *angusta* Semper, 1899
- 313. *Euproctis argentimarginata* (Wileman & South, 1921)** (Lymantriidae) Synonym(s): *argentimarginata* Wileman & South, 1921
- 314. *Cozola austriaca* (Semper, 1899)** (Lymantriidae) Synonym(s): *austriaca* Semper, 1899
- 315. *Euproctis chrysoparypha* Collenette, 1933** (Lymantriidae) Synonym(s): *chrysoparypha* Collenette, 1933
- 316. *Euproctis limbata* (Butler, 1881)** (Lymantriidae) Synonym(s): *limbata* Butler, 1881

317. *Euproctis nigrofasciata* Semper, 1898 (Lymantriidae) Synonym(s): *nigrofasciata* Semper, 1898
318. *Euproctis sibulana* Semper, 1899 (Lymantriidae) Synonym(s): *sibulana* Semper, 1899
319. *Euproctis siribana* Semper, 1899 (Lymantriidae) Synonym(s): *siribana* Semper, 1899
320. *Leucoma geometrica* Semper, 1899 (Lymantriidae) Synonym(s): *geometrica* Semper, 1899
321. *Lymantria* (*Collentria*) *cryptocloea* Collenette, 1932 (Lymantriidae) Synonym(s): *cryptocloea* Collenette, 1932; *#cryptochloea* Schintlmeister, 2004
322. *Lymantria* (*Nyctria*) *naessigi* Schintlmeister, 2004 (Lymantriidae) Synonym(s): *naessigi* Schintlmeister, 2004
323. *Lymantria* (*Porthetria*) *bivittata* (Moore, 1879) (Lymantriidae) Synonym(s): *bivittata* Moore, 1879
324. *Lymantria* (*Porthetria*) *brotea* (Stoll, [1781]) (Lymantriidae) Synonym(s): *brotea* Stoll, [1781]; *lepcha* Moore, 1879; *carneola* Moore, 1879; *galinara* Swinhoe, 1903; *rudloffii* Schintlmeister, 2004
325. *Lymantria* (*Porthetria*) *lunata* (Stoll, [1782]) (Lymantriidae) Synonym(s): *lunata* Stoll, [1782]; *ichorina* Butler, 1884; *#lunatoidea* Strand, 1915
326. *Lymantria* (*Porthetria*) *speideli* Schintlmeister, 2004 (Lymantriidae) Synonym(s): *speideli* Schintlmeister, 2004
327. *Lymantria* (*Sarantria*) *karsholti* Schintlmeister, 2004 (Lymantriidae) Synonym(s): *karsholti* Schintlmeister, 2004
328. *Lymantria* (*Sarantria*) *mikkolai* Schintlmeister, 2004 (Lymantriidae) Synonym(s): *mikkolai* Schintlmeister, 2004
329. *Lymantria* (*Spinotria*) *eckweileri* Schintlmeister, 2004 (Lymantriidae) Synonym(s): *eckweileri* Schintlmeister, 2004
330. *Lymantria* (*Spinotria*) *rhabdota* Collenette, 1949 (Lymantriidae) Synonym(s): *rhabdota* Collenette, 1949
331. *Lymantria* (s.str.) *semperi* Schintlmeister, 2004 (Lymantriidae) Synonym(s): *semperi* Schintlmeister, 2004
332. *Lymantria* (s.str.) *witti* Schintlmeister, 2004 (Lymantriidae) Synonym(s): *witti* Schintlmeister, 2004
333. *Lymantria* (s.str.) *subrosea* Swinhoe, 1903 (Lymantriidae) Synonym(s): *rosea* Hampson, 1892 nec Btl., 1879; *subrosea* Swinhoe, 1903
334. *Nygmia javana* (Aurivillius, 1894) (Lymantriidae) Synonym(s): *javana* Aurivillius, 1894
335. *Nygmia moalata* (Swinhoe, 1916) (Lymantriidae) Synonym(s): *divisa* Walker, 1863 nec Wlk., 1855; *moalata* Swinhoe, 1916; *divisella* Strand, 1918; *motala* Swinhoe, 1923
336. *Olene mendosa* Hübner, [1823] (Lymantriidae) Synonym(s): *mendosa* Hübner, [1823]; *basalis* Walker, 1855; *lanceolata* Walker, 1855; *fusiformis* Walker, 1855; *sawanta* Moore, 1859; *basigera* Walker, 1865; *distinguenda* Walker, 1865; *divisa* Walker, 1865; *basivitta* Walker, 1869; *invasa* Walker, 1869; *tarowanensis* Matsumura, 1927
337. *Pantana mindanensis* Semper, 1898 (Lymantriidae) Synonym(s): *mindanensis* Semper, 1898; *#visaya* Strand, 1915
338. *Psilochira amydra* (Collenette, 1932) (Lymantriidae) Synonym(s): *amydra* Collenette, 1932
339. *Sitvia karoli* (Semper, 1899) (Lymantriidae) Synonym(s): *karoli* Semper, 1899
340. *Pollex* (*Bilobiana*) *mindanao* Fibiger, 2007 (Micronoctuidae) Synonym(s): *mindanao* Fibiger, 2007
341. *Pollex* (*Bilobiana*) *sansdigit* Fibiger, 2007 (Micronoctuidae) Synonym(s): *sansdigit* Fibiger, 2007
342. *Pollex* (*Bilobiana*) *sapamoroi* Fibiger, 2007 (Micronoctuidae) Synonym(s): *sapamoroi* Fibiger, 2007
343. *Pollex* (*Bilobiana*) *taurus* Fibiger, 2007 (Micronoctuidae) Synonym(s): *taurus* Fibiger, 2007
344. *Acidon semiochrea* Holloway, 2008 (Noctuidae) Synonym(s): *semiochrea* Holloway, 2008
345. *Aedia acronyctoides* (Guenée, 1852) (Noctuidae) Synonym(s): *acronyctoides* Guenée, 1852
346. *Agrapha armata* Behounek & L. Ronkay, 1999 (Noctuidae) Synonym(s): *armata* Behounek & L. Ronkay, 1999
347. *Anereuthina renosa* Hübner, 1813 (Noctuidae) Synonym(s): *renosa* Hübner, 1813; *lilach* Guenée, 1852; *ocularia* Swinhoe, 1890
348. *Anomis lyona* (Swinhoe, 1919) (Noctuidae) Synonym(s): *lyona* Swinhoe, 1919
349. *Apsarasa radians* (Westwood, 1848) (Noctuidae) Synonym(s): *radians* Westwood, 1848; *figurata* Moore, 1877; *nigrotarsata* Grünberg, 1911; *dajakana* Grünberg, 1911
350. *Aquila capnodes* (Wileman & West, 1928) (Noctuidae) Synonym(s): *capnodes* Wileman & West, 1928
351. *Arcte coerula* (Guenée, 1852) (Noctuidae) Synonym(s): *coerula* Guenée, 1852; *coerulea* auct.
352. *Arcte modesta* (Hoeven, 1840) (Noctuidae) Synonym(s): *modesta* Hoeven, 1840; *immodesta* Guenée, 1852
353. *Aroana* sp. (Noctuidae) Synonym(s): -
354. *Artana eccentrica* Yoshimoto, 1999 (Noctuidae) Synonym(s): *eccentrica* Yoshimoto, 1999
355. *Artana reggiantii* Zilli & Lourens, 2008 (Noctuidae) Synonym(s): *reggiantii* Zilli & Lourens, 2008
356. *Artana rubida* (Walker, [1863]) (Noctuidae) Synonym(s): *rubida* Walker, [1863]
357. *Athetis maculatra* (Lower, 1902) (Noctuidae) Synonym(s): *maculatra* Lower, 1902
358. *Avatha bubo* (Geyer, 1832) (Noctuidae) Synonym(s): *bubo* Geyer, 1832 nec Fabr., 1775; *perficiens* Walker, 1858; *condita* Walker, 1858; *leksawasdi* Koçak & Kemal, 2006
359. *Avatha uloptera* (A.E. Prout, 1925) (Noctuidae) Synonym(s): *uloptera* A.E. Prout, 1925
360. *Avitta quadrilinea* (Walker, [1863]) (Noctuidae) Synonym(s): *quadrilinea* Walker, [1863]; *quadrilinealis* Moore, 1867; *completa* Rothschild, 1915
361. *Baorisa philippina* Behounek, Speidel & Thöny, 1996 (Noctuidae) Synonym(s): *philippina* Behounek, Speidel & Thöny, 1996
362. *Bastilla joviana* (Stoll, 1782) (Noctuidae) Synonym(s): *sinuata* Fabricius, 1781 nec Fabr., 1775; *joviana* Stoll, 1782; *jovis* Hübner, [1823]
363. *Bastilla solomonensis* (Hampson, 1913) (Noctuidae) Synonym(s): *solomonensis* Hampson, 1913
364. *Bastilla vitiensis* (Butler, 1886) (Noctuidae) Synonym(s): *vitiensis* Butler, 1886; *prouti* Hulstaert, 1924; *cuneifascia* Hulstaert, 1924
365. *Batracharta nigrigata* Prout, 1921 (Noctuidae) Synonym(s): *nigrigata* Prout, 1921
366. *Belciana bicolor* Wileman & West, 1929 (Noctuidae) Synonym(s): *bicolor* Wileman & West, 1929
367. *Belciana hemodoides* Holloway, 2009 (Noctuidae) Synonym(s): *hemodoides* Holloway, 2009

- 368. *Bocula bifaria* (Walker, [1863])** (Noctuidae) Synonym(s): *bifaria* Walker, [1863]; *transversata* Wileman & West, 1929; *microscala* Holloway, 1976
- 369. *Borbotana petrae* Behounek, 1999** (Noctuidae) Synonym(s): *petrae* Behounek, 1999
- 370. *Buzara onelia* (Guenée, 1852)** (Noctuidae) Synonym(s): *onelia* Guenée, 1852; *luteipalpis* Walker, 1865
- 371. *Callopistria maillardi* (Guenée, 1862)** (Noctuidae) Synonym(s): *maillardi* Guenée, 1862; *recurvata* Moore, 1882; *nauticorum* Tams, 1935; *pseudintermissa* Viette, 1965.
- 372. *Callopistria placodoides* (Guenée, 1852)** (Noctuidae) Synonym(s): *placodoides* Guenée, 1852; *doleschalli* R. Felder & Rogenhofer, 1874
- 373. *Callopistria trilineata* (Walker, 1862)** (Noctuidae) Synonym(s): *trilineata* Walker, 1862; *duplicilinea* Walker, 1864
- 374. *Callyna monoleuca* Walker, 1858** (Noctuidae) Synonym(s): *monoleuca* Walker, 1858; *apicalis* Snellen, 1880; *japonibia* Strand, 1920; *#demaculata* Roepke, 1938
- 375. *Callyna semivitta* Moore, 1882** (Noctuidae) Synonym(s): *semivitta* Moore, 1882
- 376. *Calymera metaphaea* (Hampson, 1912)** (Noctuidae) Synonym(s): *metaphaea* Hampson, 1912; *loxoscia* A.E. Prout, 1932; *phantera* A.E. Prout, 1932; *proutiae* Roepke, 1935; *sundanensis* Roepke, 1935
- 377. *Calymera moira* (Swinhoe, 1893)** (Noctuidae) Synonym(s): *moira* Swinhoe, 1893; *fuscomarginata* Hampson, 1894
- 378. *Carea carissima* Wileman & West, 1929** (Noctuidae) Synonym(s): *carissima* Wileman & West, 1929
- 379. *Catada rubricaea* Schultze, 1907** (Noctuidae) Synonym(s): *rubricaea* Schultze, 1907
- 380. *Chilkasa falcata* Swinhoe, 1885** (Noctuidae) Synonym(s): *falcata* Swinhoe, 1885; *perhamata* Hampson, 1894; *difformis* Roepke, 1948
- 381. *Chloroplaga nygmia* (Swinhoe, 1893)** (Noctuidae) Synonym(s): *nygmia* Swinhoe, 1893
- 382. *Chrysodeixis eriosoma* (Doubleday, 1843)** (Noctuidae) Synonym(s): *eriosoma* Doubleday, 1843; *verticillata* Guenée, 1852
- 383. *Chrysodeixis heberachis* (Strand, 1920)** (Noctuidae) Synonym(s): *heberachis* Strand, 1920
- 384. *Chrysodeixis minutus* Dufay, 1970** (Noctuidae) Synonym(s): *minutus* Dufay, 1970
- 385. *Condica illecta* (Walker, 1865)** (Noctuidae) Synonym(s): *illecta* Walker, 1865; *funesta* Walker, 1865; *spargens* Walker, 1865
- 386. *Condica stellata* (Moore, 1882)** (Noctuidae) Synonym(s): *stellata* Moore, 1882
- 387. *Conservula indica* (Moore, 1867)** (Noctuidae) Synonym(s): *indica* Moore, 1867
- 388. *Corcobara angulipennis* Moore, 1882** (Noctuidae) Synonym(s): *angulipennis* Moore, 1882; *thwaitesi* Moore, [1885]
- 389. *Corgatha semipardata* (Walker, 1861)** (Noctuidae) Synonym(s): *semipardata* Walker, 1861
- 390. *Craniophora malesiae* Holloway, 1989** (Noctuidae) Synonym(s): *malesiae* Holloway, 1989
- 391. *Daddala brevicauda* (Wileman & South, 1921)** (Noctuidae) Synonym(s): *brevicauda* Wileman & South, 1921; *achaeopsis* Prout, 1922
- 392. *Daddala microdesma* (Berio, 1958)** (Noctuidae) Synonym(s): *#microdesma* A.E. Prout, 1928; *microdesma* Berio, 1958
- 393. *Diehlea neotumida* Yoshimoto, 1999** (Noctuidae) Synonym(s): *neotumida* Yoshimoto, 1999
- 394. *Elydnodes ornata* Wileman & West, 1929** (Noctuidae) Synonym(s): *ornata* Wileman & West, 1929
- 395. *Episparis philippinensis* Yoshimoto, 1999** (Noctuidae) Synonym(s): *philippinensis* Yoshimoto, 1999
- 396. *Episteme darocana* (Druce, 1894)** (Noctuidae) Synonym(s): *darocana* Druce, 1894
- 397. *Ercheia cyllaria* (Cramer, [1779])** (Noctuidae) Synonym(s): *cyllaria* Cramer, [1779]; *cyllota* Guenée, 1852; *fusifera* Walker, 1858; *signivitta* Walker, 1858; *polychroma* Walker, 1858; *atrivitta* Walker, 1864; *purpureilinea* Walker, 1864; *semipallida* Walker, 1864; *gundiana* Felder, 1874; *costipannosa* Moore, 1882; *pannosa* Moore, 1883; *uniformis* Moore, 1883; *anvira* Swinhoe, 1918
- 398. *Erebus ephesperis* (Hübner, [1823])** (Noctuidae) Synonym(s): *crepuscularis* Cr., [1777] (preocc.); *ephesperis* Hübner, [1823]; *laetitia* Butler, 1878; *niasana* Swinhoe, 1918; *malanga* Swinhoe, 1918
- 399. *Erebus nyctaculis* (Snellen, 1880)** (Noctuidae) Synonym(s): *nyctaculis* Snellen, 1880; *javanensis* Hampson, 1913; *philippinensis* Gaede, 1938
- 400. *Ericeia inangulata* (Guenée, 1852)** (Noctuidae) Synonym(s): *inangulata* Guenée, 1852; *optativa* Walker, 1858; *optatura* Walker, 1858; *zeta* Walker, 1864; *intracta* Walker, 1864; *comitata* Walker, 1865; *umbrosa* Walker, 1869; *subcinerea* Snellen, 1880; *intextilia* Schultze, 1908; *levuensis* A.E. Prout, 1929; *certilinea* A.E. Prout, 1929
- 401. *Ericeia pertendens* (Walker, [1858])** (Noctuidae) Synonym(s): *pertendens* Walker, [1858]; *gonioptila* A.E. Prout, 1922; *eurytaenia* A.E. Prout, 1929; *occidua* A.E. Prout, 1929; *iopolia* D.S. Fletcher, 1957
- 402. *Eudocima behouneki* Zilli & Hogenes, 2002** (Noctuidae) Synonym(s): *behouneki* Zilli & Hogenes, 2002
- 403. *Eudocima phalonia* (Linnaeus, 1763)** (Noctuidae) Synonym(s): *phalonia* Linnaeus, 1763; *fullonia* Clerck, [1764]; *dioscoreae* Fabricius, 1775; *pomona* Cramer, 1776; *princeps* Guenée, 1852; *obliterans* Walker, 1858
- 404. *Euphiuche picta* (Moore, 1882)** (Noctuidae) Synonym(s): *picta* Moore, 1882
- 405. *Fodina lanaoensis* Schultze, 1907** (Noctuidae) Synonym(s): *lanaoensis* Schultze, 1907
- 406. *Gadirtha impingens* Walker, [1858]** (Noctuidae) Synonym(s): *impingens* Walker, [1858]; *bufonia* C. Felder & R. Felder, 1862; *tinctoides* Snellen, 1877; *guineana* Swinhoe, 1918; *buruensis* A.E. Prout, 1926
- 407. *Goniophila excavata* (Swinhoe, 1905)** (Noctuidae) Synonym(s): *excavata* Swinhoe, 1905
- 408. *Grammodes geometrica* (Fabricius, 1775)** (Noctuidae) Synonym(s): *geometrica* Fabricius, 1775; *ammonia* Cramer, 1780 nec Esp., [1794]; *orientalis* W. Warren, 1913
- 409. *Helicoverpa armigera* (Hübner, [1808])** (Noctuidae) Synonym(s): *obsoleta* auct. nec Fabr., 1775; *barbara* Fabricius, 1794 [rejected]; *armigera* Hübner, [1808]; *pulverosa* Walker, [1857]; *uniformis* Wallengren, 1860; *communi* Hardwick, 1965; *rama* Bhattacharjee & Gupta, 1972.
- 410. *Hulodes drylla* Guenée, 1852** (Noctuidae) Synonym(s): *drylla* Guenée, 1852; *saturnioides* Guenée, 1852; *restorans* Walker, 1858; *fusifascia* Walker, 1869; *donata* Schultze, 1907; *hilaris* Prout, 1921
- 411. *Hypersypnoides ochreicilia* (Hampson, 1891)** (Noctuidae) Synonym(s): *ochreicilia* Hampson, 1891

- 412. *Hypocala deflorata* (Fabricius, 1794)** (Noctuidae) Synonym(s): *deflorata* Fabricius, 1794; *australasiae* Butler, 1892; *moorei* Butler, 1892.
- 413. *Hypocala violacea* Butler, 1879** (Noctuidae) Synonym(s): *violacea* Butler, 1879; *clarissima* Butler, 1892; *kebeae* Bethune-Baker, 1906
- 414. *Hypopyra villicosta* (L.B. Prout, 1919)** (Noctuidae) Synonym(s): *villicosta* L.B. Prout, 1919
- 415. *Leucania abdominalis* (Walker, 1856)** (Noctuidae) Synonym(s): *abdominalis* Walker, 1856; *robusta* Walker, 1857; *labeculis* Lucas, 1892; *derbyana* Aurivillius, 1920; *munroi* Calora, 1966
- 416. *Leucania munroi* Calora, 1966** (Noctuidae) Synonym(s): *munroi* Calora, 1966
- 417. *Leucania yu* Guenée, 1852** (Noctuidae) Synonym(s): *yu* Guenée, 1852; *exempta* Walker, 1857; *costalis* Moore, 1877
- 418. *Lineopalpa dealbata* (L.B. Prout, 1926)** (Noctuidae) Synonym(s): *dealbata* L.B. Prout, 1926; *eueres* L.B. Prout, 1928
- 419. *Lopharthrum comprimens* (Walker, 1858)** (Noctuidae) Synonym(s): *comprimens* Walker, 1858; *cluyseanaeri* Heylaerts, 1888
- 420. *Lycimna polymesata* Walker, 1860** (Noctuidae) Synonym(s): *polymesata* Walker, 1860
- 421. *Lygniodes morio* Semper, 1900** (Noctuidae) Synonym(s): *morio* Semper, 1900
- 422. *Lygniodes proutae* Hulstaert, 1924** (Noctuidae) Synonym(s): *proutae* Hulstaert, 1924
- 423. *Macaldenia palumba* (Guenée, 1852)** (Noctuidae) Synonym(s): *palumba* Guenée, 1852; *colligens* Walker, 1865
- 424. *Masca abactalis* Walker, [1859]** (Noctuidae) Synonym(s): *abactalis* Walker, [1859]; *leucogastralis* Walker, [1866]; *platypoda* R. Felder & Rogenhofer, 1874
- 425. *Metaemene atrigutta* (Walker, 1862)** (Noctuidae) Synonym(s): *atrigutta* Walker, 1862
- 426. *Miaromima pangolina* (Holloway, 1982)** (Noctuidae) Synonym(s): *pangolina* Holloway, 1982
- 427. *Mocis undata* (Fabricius, 1775)** (Noctuidae) Synonym(s): *undata* Fabricius, 1775; *archesia* Cramer, 1780; *virbia* Cramer, 1780; *gregalis* Guenée, 1852; *bifasciata* Walker, 1865; *philippiensis* Strand, 1917; *uberia* Wileman, 1923
- 428. *Mythimna* (Aletia) *formosana* (Butler, 1880)** (Noctuidae) Synonym(s): *formosana* Butler, 1880; *adusta* Moore, 1881
- 429. *Mythimna* (Aletia) *hamifera* (Walker, 1862)** (Noctuidae) Synonym(s): *hamifera* Walker, 1862; *inframicans* Hampson, 1893; *pryeri* Leech, 1900
- 430. *Mythimna* (Aletia) *reversa* (Moore, [1885])** (Noctuidae) Synonym(s): *reversa* Moore, [1885]
- 431. *Mythimna* (Hyphilare) *albiviata* (Hampson, 1913)** (Noctuidae) Synonym(s): *albipuncta* W. Warren, 1912 nec [Denis & Schiff.], 1775; *albiviata* Hampson, 1913
- 432. *Mythimna* (Hyphilare) *honeyi* (Yoshimatsu, 1990)** (Noctuidae) Synonym(s): *honeyi* Yoshimatsu, 1990
- 433. *Mythimna* (Hyphilare) *maxima* Hreblay, 1998** (Noctuidae) Synonym(s): *maxima* Hreblay, 1998
- 434. *Mythimna* (Hyphilare) *moorei* (Swinhoe, 1902)** (Noctuidae) Synonym(s): *abdominalis* Moore, 1881 (preocc.); *moorei* Swinhoe, 1902
- 435. *Mythimna* (Hyphilare) *simplex* (Leech, 1889)** (Noctuidae) Synonym(s): *simplex* Leech, 1889
- 436. *Nola celidota* (Wileman & West, 1928)** (Noctuidae) Synonym(s): *celidota* Wileman & West, 1928
- 437. *Nola curvilinea* (Wileman & South, 1919)** (Noctuidae) Synonym(s): *curvilinea* Wileman & South, 1919
- 438. *Nola fuscata* Wileman & West, 1928** (Noctuidae) Synonym(s): *fuscata* Wileman & West, 1928
- 439. *Nola tinctoria* Wileman & South, 1919** (Noctuidae) Synonym(s): *tinctoria* Wileman & South, 1919
- 440. *Ommatophora luminosa* (Cramer, 1780)** (Noctuidae) Synonym(s): *luminosa* Cramer, 1780
- 441. *Ophisma pallescens* (Walker, [1863])** (Noctuidae) Synonym(s): *pallescens* Walker, [1863]; *violetta* Pagenstecher, 1896; *subplaga* Bethune-Baker, 1906; *intermedia* A.E. Prout, 1922
- 442. *Ophiusa tirhaca* (Cramer, [1777])** (Noctuidae) Synonym(s): *tirhaca* Cramer, [1777]; *#tirrhaea* Fabricius, 1781; *vesta* Esper, 1789; *olivacea* De Villiers, 1789; *auricularis* Hübner, [1803]; *hottentota* Guenée, 1852; *separans* Walker, 1858; *clementi* Swinhoe, 1918; *#demarginata* Heydemann, 1963; *obscura* Pinker & Bacallado, 1978
- 443. *Ophthalmis lincea* (Cramer, [1779])** (Noctuidae) Synonym(s): *lincea* Cramer, [1779]; *bambucina* Eschscholtz, 1830; *formosa* Montr., 1856; *linceoides* Boisduval, 1874; *aluensis* Butler, 1887; *leucapex* Strand, 1911; *biakensis* Strand, 1912
- 444. *Ophthalmis swinhoei* (Semper, 1899)** (Noctuidae) Synonym(s): *swinhoei* Semper, 1899
- 445. *Oraesia emarginata* (Fabricius, 1794)** (Noctuidae) Synonym(s): *emarginata* Fabricius, 1794; *metallescens* Guenée, 1852; *tentans* Walker, [1858]; *alliciens* Walker, [1858]; *camaguina* Swinhoe, 1918
- 446. *Ossonoba torpida* Walker, 1866** (Noctuidae) Synonym(s): *torpida* Walker, 1866
- 447. *Oxyodes scrobiculata* (Fabricius, 1775)** (Noctuidae) Synonym(s): *scrobiculata* Fabricius, 1775; *clytia* Stoll, [1782]; *vittata* Fabricius, 1794; *ochreate* Rothschild, 1915; *samoana* Tams, 1935; *tanymekes* Tams, 1935; *novaehebridensis* Viette, 1951; *obscurior* Holloway, 1979
- 448. *Pindara illibata* (Fabricius, 1775)** (Noctuidae) Synonym(s): *illibata* Fabricius, 1775; *peropaca* Hübner, [1831]; *laetabilis* Guenée, 1852
- 449. *Platyja ida* (Banks, 1919)** (Noctuidae) Synonym(s): *ida* Banks, 1919
- 450. *Platyja minutipuncta* Swinhoe, 1901** (Noctuidae) Synonym(s): *minutipuncta* Swinhoe, 1901
- 451. *Plusiopalpa adrasta* (R. Felder & Rogenhofer, 1874)** (Noctuidae) Synonym(s): *adrasta* R. Felder & Rogenhofer, 1874; *crassipalpus* Hampson, 1894; *shisa* Strand, 1920
- 452. *Pseudosphetta* sp.** (Noctuidae) Synonym(s):
- 453. *Pterocyclophora hampsoni* Semper, 1900** (Noctuidae) Synonym(s): *hampsoni* Semper, 1900
- 454. *Pterogonia cardinalis* Holloway, 1976** (Noctuidae) Synonym(s): *cardinalis* Holloway, 1976
- 455. *Ptisciana seminivea* Walker, 1865** (Noctuidae) Synonym(s): *seminivea* Walker, 1865; *lilacina* Moore, 1888
- 456. *Ptyonota formosa* Hampson, 1894** (Noctuidae) Synonym(s): *formosa* Hampson, 1894
- 457. *Ramadasa pavo* (Walker, 1856)** (Noctuidae) Synonym(s): *pavo* Walker, 1856
- 458. *Risoba basalis* Moore, 1882** (Noctuidae) Synonym(s): *basalis* Moore, 1882; *#viridimargo* W. Warren, 1913
- 459. *Risoba calaina* Zerny, 1916** (Noctuidae) Synonym(s): *calaina* Zerny, 1916; *obliqua* A.E. Prout, 1921; *philippinensis* A.E. Prout, 1921; *amabilis* Roepke, 1938

- 460. *Risoba prominens* Moore, 1881** (Noctuidae) Synonym(s): *prominens* Moore, 1881
- 461. *Sasunaga leucorina* (Hampson, 1908)** (Noctuidae) Synonym(s): *leucorina* Hampson, 1908; *olivaria* Hampson, 1908
- 462. *Sasunaga longiplaga* W. Warren, 1912** (Noctuidae) Synonym(s): *longiplaga* W. Warren, 1912; *basiplaga* W. Warren, 1912
- 463. *Sasunaga tenebrosa* (Moore, 1867)** (Noctuidae) Synonym(s): *tenebrosa* Moore, 1867; *albistrigata* W. Warren, 1913; *bistriga* W. Warren, 1913; *interstrigata* W. Warren, 1913; *longistriata* W. Warren, 1913; *dura* Strand, 1916; *kala* Strand, 1916; *albonotata* Wileman & West, 1928
- 464. *Simplicia griseolimbis* Snellen, 1886** (Noctuidae) Synonym(s): *griseolimbis* Snellen, 1886; *rufa* Prout, 1929; *occidentalis* Holloway, 1982
- 465. *Spodoptera litura* (Fabricius, 1775)** (Noctuidae) Synonym(s): *litura* Fabricius, 1775; *histrionica* Fabricius, 1775; *elata* Fabricius, 1781; *ciliger* Guenée, 1852; *tasmanica* Guenée, 1852; *subterminalis* Walker, 1856; *glaucistriga* Walker, 1856; *declinata* Walker, 1857; *albisparsa* Walker, 1862; *evanescentes* Butler, 1884
- 466. *Throanagonia albiocellata* (Wileman & West, 1930)** (Noctuidae) Synonym(s): *albiocellata* Wileman & West, 1930
- 467. *Thyas javanica* (Gaede, 1917)** (Noctuidae) Synonym(s): *javanica* Gaede, 1917; *jiceyi* A.E. Prout, 1924
- 468. *Thyas juno* (Dalman, 1823)** (Noctuidae) Synonym(s): *juno* Dalman, 1823; *elegans* Hoeven, 1840; *multicolor* Guenée, 1852; *bella* Bremer & Grey, 1853; *renalis* Bryk, 1948
- 469. *Tiracola aureata* Holloway, 1989** (Noctuidae) Synonym(s): *aureata* Holloway, 1989
- 470. *Tiracola plagiata* (Walker, 1857)** (Noctuidae) Synonym(s): *plagiata* Walker, 1857; *plagifera* Walker, 1857; *nigriclathrata* W. Warren, 1915
- 471. *Triorbis annulata* (Swinhoe, 1890)** (Noctuidae) Synonym(s): *annulata* Swinhoe, 1890
- 472. *Triorbis aureovitta* Hampson, 1902** (Noctuidae) Synonym(s): *aureovitta* Hampson, 1902
- 473. *Ulotrichopus macula* (Hampson, 1891)** (Noctuidae) Synonym(s): *macula* Hampson, 1891; *reducta* A.E. Prout, 1922 [ssp.]
- 474. *Westermannia superba* Hübner, 1823** (Noctuidae) Synonym(s): *superba* Hübner, 1823; *westermanni* Guenée, 1852; *gloriosa* Hampson, 1912
- 475. *Xanthodes transversa* (Guenée, 1852)** (Noctuidae) Synonym(s): *transversa* Guenée, 1852; *migrator* Walker, 1858; *dentalis* Smith, 1891
- 476. *Spatalia* (*Celeia*) *sikkima* (Moore, 1879)** (Notodontidae) Synonym(s): *sikkima* Moore, 1879; *licitus* Schintlmeister, 1989
- 477. *Spatalia* (*Allata*) *argentifera* (Walker, 1862)** (Notodontidae) Synonym(s): *argentifera* Walker, 1862
- 478. *Spatalia* (*Allata*) *racquellae* (Schintlmeister, 1993)** (Notodontidae) Synonym(s): *racquellae* Schintlmeister, 1993
- 479. *Allodonta* (*Hexafrenum*) *maternalis* Schintlmeister, 1993** (Notodontidae) Synonym(s): *maternalis* Schintlmeister, 1993
- 480. *Allodonta* (*Hexafrenum*) *synthesina* (Schintlmeister, 1993)** (Notodontidae) Synonym(s): *synthesina* Schintlmeister, 1993
- 481. *Ambadra camiguinana* Kobayashi, 2011** (Notodontidae) Synonym(s): *camiguinana* Kobayashi, 2011
- 482. *Ambadra irinae* Schintlmeister & Lourens, 2010** (Notodontidae) Synonym(s): *irinae* Schintlmeister & Lourens, 2010
- 483. *Ambadra sibena* Schintlmeister, 1993** (Notodontidae) Synonym(s): *sibena* Schintlmeister, 1993
- 484. *Ambadra suriga* Schaus, 1928** (Notodontidae) Synonym(s): *suriga* Schaus, 1928
- 485. *Armiana odrana* (Schaus, 1928)** (Notodontidae) Synonym(s): *odrana* Schaus, 1928
- 486. *Benbowia orientalis* Schintlmeister, 1993** (Notodontidae) Synonym(s): *orientalis* Schintlmeister, 1993
- 487. *Besida vinvalva* Schaus, 1928** (Notodontidae) Synonym(s): *vinvalva* Schaus, 1928
- 488. *Calyptronotum gualberta* (Schaus, 1928)** (Notodontidae) Synonym(s): *gualberta* Schaus, 1928
- 489. *Cerasana basipuncta* (Semper, 1896)** (Notodontidae) Synonym(s): *basipuncta* Semper, 1896
- 490. *Chadisra luzonensis* Kiriakoff, 1970** (Notodontidae) Synonym(s): *luzonensis* Kiriakoff, 1970
- 491. *Dudusa minor* Schintlmeister, 1993** (Notodontidae) Synonym(s): *minor* Schintlmeister, 1993
- 492. *Epistauropus vinaceus* (Moore, 1879)** (Notodontidae) Synonym(s): *vinaceus* Moore, 1879; *apiculatus* Rothschild, 1917; *javanicus* Roepke, 1944
- 493. *Formofentonia orbifer* (Hampson, [1893])** (Notodontidae) Synonym(s): *orbifer* Hampson, [1893]; *orbivifera* Hutacharern & Tubtim, 1995
- 494. *Gangarides sugii* Schintlmeister, 1993** (Notodontidae) Synonym(s): *sugii* Schintlmeister, 1993; *negrosanus* Kobayashi & Kishida, 2008; *palawanensis* Kobayashi & Kishida, 2008; *pulcher* Kobayashi & Kishida, 2008
- 495. *Gargetta hampsoni* Schintlmeister, 1981** (Notodontidae) Synonym(s): *hampsoni* Schintlmeister, 1981
- 496. *Higena similis* Schintlmeister, 1993** (Notodontidae) Synonym(s): *similis* Schintlmeister, 1993
- 497. *Hyperaeschra pallida* Butler, 1880** (Notodontidae) Synonym(s): *pallida* Butler, 1880; *ochropis* Hampson, 1910
- 498. *Kamalia rosea* (Schintlmeister, 1989)** (Notodontidae) Synonym(s): *rosea* Schintlmeister, 1989
- 499. *Liparopsis dymrna* Schaus, 1928** (Notodontidae) Synonym(s): *dymrna* Schaus, 1928
- 500. *Loda lunae* Schintlmeister, 1993** (Notodontidae) Synonym(s): *lunae* Schintlmeister, 1993
- 501. *Maguila maguila* (Schaus, 1928)** (Notodontidae) Synonym(s): *maguila* Schaus, 1928
- 502. *Mesophalera philippinica* Schintlmeister, 1993** (Notodontidae) Synonym(s): *philippinica* Schintlmeister, 1993
- 503. *Micromelalopha argentea* Schintlmeister, 1993** (Notodontidae) Synonym(s): *argentea* Schintlmeister, 1993
- 504. *Neopheosia fasciata* (Moore, 1888)** (Notodontidae) Synonym(s): *fasciata* Moore, 1888; *formosana* Okano, 1959
- 505. *Netria bipartita* Schintlmeister, 2006** (Notodontidae) Synonym(s): *bipartita* Schintlmeister, 2006
- 506. *Omichlis diversa* Schintlmeister, 1993** (Notodontidae) Synonym(s): *diversa* Schintlmeister, 1993; *hinumbian* Schintlmeister & Lourens, 2010 [ssp.]; *lidum* Schintlmeister & Lourens, 2010 [ssp.]; *matruculan* Schintlmeister & Lourens, 2010 [ssp.]

- 507. *Oraura longipennis* (Moore, 1881)** (Notodontidae) Synonym(s): *longipennis* Moore, 1881; *uncinata* Semper, 1902; *ordgara* Schaus, 1928
- 508. *Oraura schausi* Schintlmeister & Lourens, 2010** (Notodontidae) Synonym(s): *schausi* Schintlmeister & Lourens, 2010
- 509. *Oxoia smaragdiplena* (Walker, 1862)** (Notodontidae) Synonym(s): *smaragdiplena* Walker, 1862; *oxoia* Swinhoe, 1904
- 510. *Pantanopsis diehli* Kiriakoff, 1974** (Notodontidae) Synonym(s): *diehli* Kiriakoff, 1974
- 511. *Parasinga viridescens* Schintlmeister, 1993** (Notodontidae) Synonym(s): *viridescens* Schintlmeister, 1993
- 512. *Phalera acutoides* Holloway, 1983** (Notodontidae) Synonym(s): *acutoides* Holloway, 1983
- 513. *Phalera knoblichi* Schintlmeister & Lourens, 2010** (Notodontidae) Synonym(s): *knoblichi* Schintlmeister & Lourens, 2010
- 514. *Phalera longa* Kobayashi & Kishida, 2007** (Notodontidae) Synonym(s): *longa* Kobayashi & Kishida, 2007
- 515. *Phalera mangholda* Schaus, 1928** (Notodontidae) Synonym(s): *mangholda* Schaus, 1928
- 516. *Phalera sundana* Holloway, 1982** (Notodontidae) Synonym(s): *sundana* Holloway, 1982
- 517. *Phalera surigaona* Schaus, 1928** (Notodontidae) Synonym(s): *surigaona* Schaus, 1928
- 518. *Phycidopsis philippinica* Schintlmeister, 1993** (Notodontidae) Synonym(s): *philippinica* Schintlmeister, 1993
- 519. *Porsica intermediata* Schintlmeister, 1993** (Notodontidae) Synonym(s): *intermediata* Schintlmeister, 1993
- 520. *Porsica punctifascia* (Hampson, 1897)** (Notodontidae) Synonym(s): *punctifascia* Hampson, 1897
- 521. *Pseudostauropus ocularis* (Semper, 1898)** (Notodontidae) Synonym(s): *ocularis* Semper, 1898
- 522. *Rodneya cernyi* Schintlmeister, 1993** (Notodontidae) Synonym(s): *cernyi* Schintlmeister, 1993
- 523. *Saliceta odrana* (Schaus, 1928)** (Notodontidae) Synonym(s): *odrana* Schaus, 1928; *luzonica* Schintlmeister, 1993
- 524. *Semidonta sororcula* Schintlmeister & Laurens, 2010** (Notodontidae) Synonym(s): *sororcula* Schintlmeister & Laurens, 2010
- 525. *Somera viridifusca* Walker, 1855** (Notodontidae) Synonym(s): *viridifusca* Walker, 1855
- 526. *Stauroplitis briachisia* (Schaus, 1928)** (Notodontidae) Synonym(s): *briachisia* Schaus, 1928
- 527. *Stauropus albibasis* Schintlmeister, 2003** (Notodontidae) Synonym(s): *albibasis* Schintlmeister, 2003
- 528. *Stauropus alternus* Walker, 1855** (Notodontidae) Synonym(s): *alternus* Walker, 1855; *indicus* Moore, 1879
- 529. *Stauropus hannemanni* Schintlmeister, 1991** (Notodontidae) Synonym(s): *hannemanni* Schintlmeister, 1991
- 530. *Stauropus orientalis* (Schintlmeister, 1993)** (Notodontidae) Synonym(s): *orientalis* Schintlmeister, 1993
- 531. *Syntypistis charistera* (West, 1932)** (Notodontidae) Synonym(s): *charistera* West, 1932
- 532. *Syntypistis comatus* (Leech, 1898)** (Notodontidae) Synonym(s): *comatus* Leech, 1898; *viridimaculata* Matsumura, 1922; *bioculata* Kiriakoff, 1967; *hasegawai* Nakamura, 1976; *tanakai* Nakamura, 1976; *mananangai* Schintlmeister & Lourens, 2010 [ssp.]
- 533. *Syntypistis nigribasalis* (Wileman, 1910)** (Notodontidae) Synonym(s): *nigribasalis* Wileman, 1910; *saitonis* Matsumura, 1927; *notoprocta* Yang, 1995
- 534. *Syntypistis palladina* (Schaus, 1928)** (Notodontidae) Synonym(s): *palladina* Schaus, 1928
- 535. *Syntypistis pallidifascia* (Hampson, 1893)** (Notodontidae) Synonym(s): *pallidifascia* Hampson, 1893; *centrobrunnea* Matsumura, 1927; *concentrica* Matsumura, 1927; *ovalis* Van Eecke, 1929
- 536. *Syntypistis pamelae* Schintlmeister, 1993** (Notodontidae) Synonym(s): *pamelae* Schintlmeister, 1993
- 537. *Tarsolepsis kochi* Semper, 1896** (Notodontidae) Synonym(s): *kochi* Semper, 1896
- 538. *Tarsolepsis splendida* Schintlmeister, 1993** (Notodontidae) Synonym(s): *splendida* Schintlmeister, 1993
- 539. *Teleclita cathana* (Schaus, 1928)** (Notodontidae) Synonym(s): *cathana* Schaus, 1928; *sundana* Holloway, 1983
- 540. *Teleclita didyma* Schintlmeister & Laurens, 2010** (Notodontidae) Synonym(s): *didyma* Schintlmeister & Laurens, 2010
- 541. *Amatissa cardiophora* (West, 1932)** (Psychidae) Synonym(s): *cardiophora* West, 1932
- 542. *Amatissa lourensi* Sobczyk, 2008** (Psychidae) Synonym(s): *lourensi* Sobczyk, 2008
- 543. *Westia cyrtozona* (West, 1932)** (Psychidae) Synonym(s): *cyrtozona* West, 1932
- 544. *Agathodes ostentalis* (Geyer, 1838)** (Pyralidae) Synonym(s): *ostentalis* Geyer, 1838
- 545. *Agrioglypta eurytusalis* (Walker, 1859)** (Pyralidae) Synonym(s): *eurytusalis* Walker, 1859; *opalalis* Hampson, 1891; *episcopalis* Meyrick, 1938
- 546. *Agrioglypta itysalis* (Walker, 1859)** (Pyralidae) Synonym(s): *itysalis* Walker, 1859; *piepersialis* Snellen, [1880]; *malayana* Butler, 1880
- 547. *Aphomia aurora* (Snellen, 1875)** (Pyralidae) Synonym(s): *aurora* Snellen, 1875
- 548. *Blepharomastix insolitalis* (Walker, 1862)** (Pyralidae) Synonym(s): *insolitalis* Walker, 1862
- 549. *Botyodes asialis* Guenée, 1854** (Pyralidae) Synonym(s): *asialis* Guenée, 1854; *#liliputalis* Strand, 1913
- 550. *Deba surrectalis* (Walker, 1865)** (Pyralidae) Synonym(s): *surrectalis* Walker, 1865
- 551. *Dichocrocis punctiferalis* (Guenée, 1854)** (Pyralidae) Synonym(s): *punctiferalis* Guenée, 1854; *detracta* Walker, 1859; *nicippealis* Walker, 1859; *guttatalis* Walker, [1866].
- 552. *Endocrossis flavibasalis* (Moore, 1867)** (Pyralidae) Synonym(s): *flavibasalis* Moore, 1867; *interruptalis* Caradja, 1933
- 553. *Eoophyla cervinalis* Speidel, 2003** (Pyralidae) Synonym(s): *cervinalis* Speidel, 2003
- 554. *Eoophyla mindanensis* Speidel, 1998** (Pyralidae) Synonym(s): *Eoophyla mindanensis* Speidel, 1998
- 555. *Eoophyla naumanni* Speidel, 2003** (Pyralidae) Synonym(s): *naumanni* Speidel, 2003
- 556. *Eoophyla philippinensis* Speidel, 1998** (Pyralidae) Synonym(s): *philippinensis* Speidel, 1998
- 557. *Eoophyla snelleni* Semper, 1902** (Pyralidae) Synonym(s): *snelleni* Semper, 1902; *splendens* West, 1931
- 558. *Eristena samaritai* Speidel, 2003** (Pyralidae) Synonym(s): *samaritai* Speidel, 2003
- 559. *Glyphodes stolalis* Guenée, 1854** (Pyralidae) Synonym(s): *stolalis* Guenée, 1854; *substolalis* Snellen, 1899
- 560. *Hemiscopsis suffusalis* (Walker, 1865)** (Pyralidae) Synonym(s): *suffusalis* Walker, 1865

561. *Hoploscropa* sp. (Pyrilidae) Synonym(s):
 562. *Hvidodes laticostalis* (Guénee, 1854) (Pyrilidae) Synonym(s): *laticostalis* Guénee, 1854
 563. *Nacoleia insolitalis* (Walker, 1862) (Pyrilidae) Synonym(s): *insolitalis* Walker, 1862
 564. *Margarosticha bimaculalis* Snellen, 1880 (Pyrilidae) Synonym(s): *bimaculalis* Snellen, 1880
 565. *Margarosticha nigrescens* Speidel, 2003 (Pyrilidae) Synonym(s): *nigrescens* Speidel, 2003
 566. *Micraglossa tagalica* Nuss, 1998 (Pyrilidae) Synonym(s): *tagalica* Nuss, 1998
 567. *Nevrina procopia* (Stoll, [1781]) (Pyrilidae) Synonym(s): *procopia* Stoll, [1781]; *graphica* Swinhoe, 1916
 568. *Nymphicula meyi* Speidel, 1998 (Pyrilidae) Synonym(s): *mey* Speidel, 1998
 569. *Oligostigma angustalis* Sauber, 1902 (Pyrilidae) Synonym(s): *angustalis* Sauber, 1902
 570. *Omiodes unialis* (Guenée, 1854) (Pyrilidae) Synonym(s): *unialis* Guenée, 1854
 571. *Orthospila orissusalis* (Walker, 1859) (Pyrilidae) Synonym(s): *orissusalis* Walker, 1859; *nigrilinealis* Walker, [1866]; *tigrina* Moore, 1886; *demeter* Snellen, 1890; *compsogramma* Meyrick, 1894
 572. *Pachynoa circularis* Sauber, 1902 (Pyrilidae) Synonym(s): *circularis* Sauber, 1902
 573. *Pachynoa* sp. (Pyrilidae) Synonym(s):
 574. *Pachynoa thoosalis* (Walker, 1859) (Pyrilidae) Synonym(s): *thoosalis* Walker, 1859; *walkeri* Lederer, 1863
 575. *Palpita majorina* Inoue, 1996 (Pyrilidae) Synonym(s): *majorina* Inoue, 1996
 576. *Paracymoriza argenteolineata* Speidel, 2003 (Pyrilidae) Synonym(s): *argenteolineata* Speidel, 2003
 577. *Parapoinx leucographa* Speidel, 2003 (Pyrilidae) Synonym(s): *leucographa* Speidel, 2003
 578. *Pitacanda spilosomoides* Moore, 1886 (Pyrilidae) Synonym(s): *spilosomoides* Moore, 1886
 579. *Pristathria akbarella* (Ragonot, 1888) (Pyrilidae) Synonym(s): *akbarella* Ragonot, 1888
 580. *Pseudodavara haemaphoralis* (Hampson, 1908) (Pyrilidae) Synonym(s): *haemaphoralis* Hampson, 1908
 581. *Pyncarmon decipiens* Munroe, 1958 (Pyrilidae) Synonym(s): *decipiens* Munroe, 1958
 582. *Pygospila tyres* (Cramer, [1780]) (Pyrilidae) Synonym(s): *tyres* Cramer, [1780]; *thyralis* Hübner, [1825]; *#tyresalis* Guenée, 1852; *#tyridia* Strand, 1920
 583. *Rhimpalea trogusalis* (Walker, 1859) (Pyrilidae) Synonym(s): *trogusalis* Walker, 1859
 584. *Salma cuproviridialis* (Moore, 1867) (Pyrilidae) Synonym(s): *cuproviridialis* Moore, 1867
 585. *Scirpophaga incertulas* (Walker, 1863) (Pyrilidae) Synonym(s): *incertulas* Walker, 1863; *?admotella* Walker, 1863; *punctellus* Zeller, 1863; *minutellus* Zeller, 1863; *bipunctifera* Walker, 1863; *gratiosellus* Walker, 1864; *#ncertulas* Hutacharern & Tubtim, 1995.
 586. *Scirpophaga innotata* (Walker, 1863) (Pyrilidae) Synonym(s): *innotata* Walker, 1863; *sericea* Snellen, 1880
 587. *Scoparia meyi* Nuss, 1998 (Pyrilidae) Synonym(s): *mey* Nuss, 1998
 588. *Scoparia monticola* Nuss, 1998 (Pyrilidae) Synonym(s): *monticola* Nuss, 1998
 589. *Scoparia spadix* Nuss, 1998 (Pyrilidae) Synonym(s): *spadix* Nuss, 1998
 590. *Synclera traducalis* (Zeller, 1852) (Pyrilidae) Synonym(s): *traducalis* Zeller, 1852; *retinalis* Lederer, 1857; *univocalis* Walker, 1859; *achatinalis* Guenée, 1862; *chlorophasma* Butler, 1878
 591. *Trichoceraea semperi* Sauber, 1902 (Pyrilidae) Synonym(s): *semperi* Sauber, 1902
 592. *Tyspanodes hillalis* (Schaus, 1927) (Pyrilidae) Synonym(s): *hillalis* Schaus, 1927
 593. *Vitessa* (pyraliata-gr.) *pyraliata* Walker, 1864 (Pyrilidae) Synonym(s): *pyraliata* Walker, 1864
 594. *Vitessa* (pyraliata-gr.) *splendida* Schultze, 1908 (Pyrilidae) Synonym(s): *splendida* Schultze, 1908
 595. *Vitessa* (stettina-gr.) *philippina* Munroe & Shaffer, 1980 (Pyrilidae) Synonym(s): *philippina* Munroe & Shaffer, 1980
 596. *Vitessa* (suradeva-gr.) *suradeva* Moore, [1860] (Pyrilidae) Synonym(s): *suradeva* Moore, [1860]
 597. *Volobilis biplaga* Walker, 1863 (Pyrilidae) Synonym(s): *biplaga* Walker, 1863
 598. *Volobilis chloropterella* (Hampson, 1896) (Pyrilidae) Synonym(s): *chloropterella* Hampson, 1896
 599. *Actias philippinica* Nässig & Treadaway, 1997 (Saturniidae) Synonym(s): *philippinica* Nässig & Treadaway, 1997
 600. *Actias selene* (Hübner, 1806) (Saturniidae) Synonym(s): *selene* Hübner, 1806; *#dianae* Hutton, 1846
 601. *Antheraea* (Antheraeopsis) *paniki* Nässig & Treadaway, 1998 (Saturniidae) Synonym(s): *paniki* Nässig & Treadaway, 1998
 602. *Antheraea* (s.str.) *halconensis* Paukstadt & Brosch, 1996 (Saturniidae) Synonym(s): *halconensis* Paukstadt & Brosch, 1996
 603. *Antheraea* (s.str.) *larissa* (Westwood, 1847) (Saturniidae) Synonym(s): *larissa* Westwood, 1847; *ridlyi* Moore, 1892; *delegata* Swinhoe, 1883
 604. *Antheraea* (s.str.) *platessa* Rothschild, 1903 (Saturniidae) Synonym(s): *platessa* Rothschild, 1903
 605. *Antheraea* (s.str.) *rosieri* (Toxopeus, 1940) (Saturniidae) Synonym(s): *rosieri* Toxopeus, 1940
 606. *Antheraea* (s.str.) *semperi* C.Felder & R.Felder, 1861 (Saturniidae) Synonym(s): *semperi* C.Felder & R.Felder, 1861
 607. *Attacus caesar* Maassen, 1873 (Saturniidae) Synonym(s): *caesar* Maassen, 1873; *imperator* Kirby, 1892
 608. *Cricula luzonica* Jordan, 1909 (Saturniidae) Synonym(s): *luzonica* Jordan, 1909
 609. *Cricula mindanaensis* Nässig & Treadaway, 1997 (Saturniidae) Synonym(s): *mindanaensis* Nässig & Treadaway, 1997
 610. *Cricula trifenestrata* (Helfer, 1837) (Saturniidae) Synonym(s): *trifenestrata* Helfer, 1837
 611. *Lemaireia schintlmeisteri* (Nässig & Lampe, 1989) (Saturniidae) Synonym(s): *schintlmeisteri* Nässig & Lampe, 1989
 612. *Loepa mindanaensis* Schüssler, 1933 (Saturniidae) Synonym(s): *mindanaensis* Schüssler, 1933
 613. *Samia luzonica* (Watson, 1914) (Saturniidae) Synonym(s): *luzonica* Watson, 1914; *mindanaensis* Rebel, 1924; *#manillensis* Bouvier, 1927
 614. *Cyanosesia philippina* Gorbunov & Kallies, 1998 (Sesiidae) Synonym(s): *philippina* Gorbunov & Kallies, 1998
 615. *Melittia callosoma* Hampson, 1919 (Sesiidae) Synonym(s): *callosoma* Hampson, 1919

616. *Melittia ferroptera* Kallies & Arita, 1998 (Sesiidae) Synonym(s): *ferroptera* Kallies & Arita, 1998
617. *Melittia javana* Le Cerf, 1916 (Sesiidae) Synonym(s): *javana* Le Cerf, 1916
618. *Scoliokona tetrapora* (Diakonoff, 1968) (Sesiidae) Synonym(s): *tetrapora* Diakonoff, 1968
619. *Sphecosesia aterea* Hampson, 1919 (Sesiidae) Synonym(s): *aterea* Hampson, 1919
620. *Teinotarsina micans* (Diakonoff, 1968) (Sesiidae) Synonym(s): *micans* Diakonoff, 1968
621. *Trilochana illustris* Kallies & Arita, 1998 (Sesiidae) Synonym(s): *illustris* Kallies & Arita, 1998
622. *Trilochana triscoliopsis* Rothschild, 1925 (Sesiidae) Synonym(s): *triscoliopsis* Rothschild, 1925
623. *Acherontia lachesis* (Fabricius, 1798) (Sphingidae) Synonym(s): *lachesis* Fabricius, 1798; *morta* Hübner, [1819]; *charon* Billberg, 1820; *satanas* Boisduval, 1836; *lethe* Westwood, 1847; *circe* Moore, [1858]; *sojeijimae* Matsumura, 1909.
624. *Acosmeryx anceus* (Stoll, [1781]) (Sphingidae) Synonym(s): *anceus* Stoll, [1781]; *mixtura* Walker, [1865]; *cinnamomea* Herrich-Schäffer, [1869]; *daulis* Boisduval, [1875]
625. *Acosmeryx socrates* Boisduval, [1875] (Sphingidae) Synonym(s): *socrates* Boisduval, [1875]
626. *Agrilus convolvuli* (Linnaeus, 1758) (Sphingidae) Synonym(s): *convolvuli* Linnaeus, 1758; *abadonna* Fabricius, 1798; *pseudofasciatus* Koch, 1865; *pseudoconvolvuli* Schaufuss, 1870; *orientalis* Butler, 1876; *distans* Butler, 1876; *batatae* Christ, 1882; *nigricans* Cannaviello, 1900; *ichangensis* Tutt, 1904; *javanensis* Tutt, 1904; *tahitiensis* Tutt, 1904; *indica* Skell, 1913; *marshallensis* Clark, 1922; *aksuensis* O. Bang-Haas, 1927
627. *Ambulyx bakeri* (Clark, 1929) (Sphingidae) Synonym(s): *bakeri* Clark, 1929
628. *Ambulyx canescens* (Walker, [1865]) (Sphingidae) Synonym(s): *canescens* Walker, [1865]
629. *Ambulyx immaculata* (Clark, 1924) (Sphingidae) Synonym(s): *immaculata* Clark, 1924
630. *Ambulyx johnsoni* (Clark, 1917) (Sphingidae) Synonym(s): *johnsoni* Clark, 1917
631. *Ambulyx staudingeri* Rothschild, 1894 (Sphingidae) Synonym(s): *staudingeri* Rothschild, 1894
632. *Ambulyx tattina* (Jordan, 1919) (Sphingidae) Synonym(s): *tattina* Jordan, 1919; *borneensis* Gehlen, 1940
633. *Ambulyx wilemani* (Rothschild & Jordan, 1916) (Sphingidae) Synonym(s): *wilemani* Rothschild & Jordan, 1916
634. *Amplypterus panopus* (Cramer, [1779]) (Sphingidae) Synonym(s): *panopus* Cramer, [1779]
635. *Cechenena helops* (Walker, 1856) (Sphingidae) Synonym(s): *helops* Walker, 1856; *orientalis* R. Felder, 1874.
636. *Cephonodes banksi* Clark, 1923 (Sphingidae) Synonym(s): *banksi* Clark, 1923
637. *Cephonodes hylas* (Linnaeus, 1771) (Sphingidae) Synonym(s): *hylas* Linnaeus, 1771
638. *Clanis surigaensis* Clark, 1928 (Sphingidae) Synonym(s): *surigaensis* Clark, 1928
639. *Cypa claggi* Clark, 1938 (Sphingidae) Synonym(s): *claggi* Clark, 1938
640. *Cypa decolor* (Walker, 1856) (Sphingidae) Synonym(s): *decolor* Walker, 1856
641. *Daphnis hypothous* (Cramer, [1780]) (Sphingidae) Synonym(s): *hypothous* Cramer, [1780]
642. *Daphnis placida* (Walker, 1856) (Sphingidae) Synonym(s): *placida* Walker, 1856
643. *Daphnis vriesi* Hogenes & Treadaway, 1993 (Sphingidae) Synonym(s): *vriesi* Hogenes & Treadaway, 1993
644. *Daphnusa ocellaris* Walker, 1856 (Sphingidae) Synonym(s): *ocellaris* Walker, 1856
645. *Dolbina inexacta* (Walker, 1856) (Sphingidae) Synonym(s): *inexacta* Walker, 1856
646. *Elibia linigera* Boisduval, [1875] (Sphingidae) Synonym(s): *linigera* Boisduval, [1875]
647. *Eupanacra busiris* (Walker, 1856) (Sphingidae) Synonym(s): *busiris* Walker, 1856
648. *Eupanacra cadioui* Hogenes & Treadaway, 1993 (Sphingidae) Synonym(s): *cadioui* Hogenes & Treadaway, 1993
649. *Eupanacra elegantulus* (Herrich-Schäffer, 1856) (Sphingidae) Synonym(s): *elegantulus* Herrich-Schäffer, 1856
650. *Eupanacra malayana* (Rothschild & Jordan, 1903) (Sphingidae) Synonym(s): *malayana* Rothschild & Jordan, 1903
651. *Eupanacra tiridates* (Boisduval, [1875]) (Sphingidae) Synonym(s): *tiridates* Boisduval, [1875]
652. *Gnathothlibus erotus* (Cramer, [1777]) (Sphingidae) Synonym(s): *erotus* Cramer, [1777]
653. *Hippotion boerhaviae* (Fabricius, 1775) (Sphingidae) Synonym(s): *boerhaviae* Fabricius, 1775
654. *Hippotion brunneum* (Semper, 1896) (Sphingidae) Synonym(s): *brunneum* Semper, 1896
655. *Hippotion celerio* (Linnaeus, 1758) (Sphingidae) Synonym(s): *celerio* Linnaeus, 1758; *tisiphone* Linnaeus, 1758; *inquilinus* Harris, 1780; *phoenix* Oken, 1815; *ocys* Hübner, [1819]; *albolineatus* Montrouzier, 1864
656. *Hippotion echeclus* (Boisduval, [1875]) (Sphingidae) Synonym(s): *echeclus* Boisduval, [1875]; *elegans* Butler, 1875
657. *Hippotion rafflesii* (Moore, [1858]) (Sphingidae) Synonym(s): *rafflesii* Moore, [1858]
658. *Hippotion rosetta* (Swinhoe, 1892) (Sphingidae) Synonym(s): *rosetta* Swinhoe, 1892; *depictum* Dumont, 1941
659. *Hippotion velox* (Fabricius, 1793) (Sphingidae) Synonym(s): *velox* Fabricius, 1793; *phoenyx* Herrich-Schäffer, [1856]
660. *Leucophlebia* (s.str.) sp. (Sphingidae) Synonym(s):
661. *Macroglossum corythum* Walker, 1856 (Sphingidae) Synonym(s): *corythum* Walker, 1856
662. *Macroglossum glaucoptera* Butler, 1875 (Sphingidae) Synonym(s): *glaucoptera* Butler, 1875
663. *Macroglossum insipidum* Butler, 1875 (Sphingidae) Synonym(s): *insipidum* Butler, 1875; *sinensis* Mell, 1922
664. *Macroglossum prometheum* Boisduval, [1875] (Sphingidae) Synonym(s): *prometheus* Boisduval, [1875]
665. *Macroglossum sylvium* (Boisduval, [1875]) (Sphingidae) Synonym(s): *sylvia* Boisduval, [1875]
666. *Macroglossum troglodytum* Boisduval, [1875] (Sphingidae) Synonym(s): *troglydytus* Boisduval, [1875]
667. *Marumba amboinicus* (C. Felder, 1862) (Sphingidae) Synonym(s): *amboinicus* C. Felder, 1862
668. *Marumba dyras* (Walker, 1856) (Sphingidae) Synonym(s): *dyras* Walker, 1856; *ceylonica* Moore, 1883
669. *Megacorma obliqua* (Walker, 1856) (Sphingidae) Synonym(s): *obliqua* Walker, 1856; *nestor* Boisduval, [1875]; *schroederi* Eitschberger, 1999
670. *Meganoton rufescens* (Butler, [1876]) (Sphingidae) Synonym(s): *rufescens* Butler, [1876]
671. *Neogurelca hyas* (Walker, 1856) (Sphingidae) Synonym(s): *hyas* Walker, 1856
672. *Pergesa actea* (Cramer, 1779) (Sphingidae) Synonym(s): *acteus* Cramer, 1779
673. *Poliana albescens* Inoue, 1996 (Sphingidae) Synonym(s): *albescens* Inoue, 1996
674. *Polyptychus trilineatus* Moore, 1888 (Sphingidae) Synonym(s): *trilineatus* Moore, 1888

- 675. *Psilogramma menephron* (Cramer,[1780])** (Sphingidae) Synonym(s): *menephron* Cramer,[1780]; *ahrendti* Pagenstecher,1888
- 676. *Theretra alecto* (Linnaeus,1758)** (Sphingidae) Synonym(s): *alecto* Linnaeus,1758; *cretica* Boisduval,1827; *freyeri* Kirby,1892; *transcaspica* O.Bang-Haas,1927; *intermissa* Gehlen,1941.
- 677. *Theretra clotho* (Drury,[1773])** (Sphingidae) Synonym(s): *clotho* Drury,[1773]; *cyrene* Westwood,1848; *bistrigata* Butler,1875; *aspersata* Kirby,1877
- 678. *Theretra insularis* (Swinhoe,1892)** (Sphingidae) Synonym(s): *insularis* Swinhoe,1892
- 679. *Theretra latreillii* Macleay,[1826]** (Sphingidae) Synonym(s): *latreillii* Macleay,[1826]
- 680. *Theretra manilae* Clark,1922** (Sphingidae) Synonym(s): *manilae* Clark,1922
- 681. *Theretra nessus* (Drury,[1773])** (Sphingidae) Synonym(s): *nessus* Drury,[1773]
- 682. *Theretra oldenlandiae* (Fabricius,1775)** (Sphingidae) Synonym(s): *oldenlandiae* Fabricius,1775; *olivacens* Mell,1922
- 683. *Theretra rhesus* (Boisduval,[1875])** (Sphingidae) Synonym(s): *rhesus* Boisduval,[1875]; *javanica* Rothschild,1894
- 684. *Theretra silhetensis* (Walker,1856)** (Sphingidae) Synonym(s): *silhetensis* Walker,1856
- 685. *Theretra sugii* Cadiou,1995** (Sphingidae) Synonym(s): *sugii* Cadiou,1995
- 686. *Thyatira dysimata* West,1932** (Thyatiridae) Synonym(s): *dysimata* West,1932
- 687. *Thyatira philippina* Laszlo, G.Ronkay, L.Ronkay & Witt,2007** (Thyatiridae) Synonym(s): *philippina* Laszlo, G.Ronkay, L.Ronkay & Witt,2007
- 688. *Calindoea argentalis* (Walker,[1866])** (Thyridae) Synonym(s): *argentalis* Walker,[1866]
- 689. *Dysodia* sp.** (Thyridae) Synonym(s): -
- 690. *Herdonia apoensis* Inoue,1993** (Thyridae) Synonym(s): *apoensis* Inoue,1993
- 691. *Coryptilum klugii* Zeller,1839** (Tineidae) Synonym(s): *klugii* Zeller,1839; *euchromella* Walker,1866; *woodfordi* Druce,1888
- 692. *Coryptilum luteum* Diakonoff,[1968]** (Tineidae) Synonym(s): *luteum* Diakonoff,[1968]
- 693. *Gerontha captiosella* Walker,1864** (Tineidae) Synonym(s): *captiosella* Walker,1864; *#capna* Diakonoff,[1968]
- 694. *Gerontha monostigma* Diakonoff,[1968]** (Tineidae) Synonym(s): *monostigma* Diakonoff,[1968]
- 695. *Gerontha nivicaput* Diakonoff,[1968]** (Tineidae) Synonym(s): *nivicaput* Diakonoff,[1968]
- 696. *Harmaclona tephrantha* (Meyrick,1916)** (Tineidae) Synonym(s): *tephrantha* Meyrick,1916
- 697. *Morophaga (sistrata-gr.) sistrata* (Meyrick,1916)** (Tineidae) Synonym(s): *sistrata* Meyrick,1916
- 698. *Archidemmis anastea* Diakonoff,[1968]** (Tortricidae) Synonym(s): *anastea* Diakonoff,[1968]
- 699. *Archips expansa* (Diakonoff,1951)** (Tortricidae) Synonym(s): *expansa* Diakonoff,1951; *aperta* Diakonoff,[1968]
- 700. *Archips salaconis* (Meyrick,1912)** (Tortricidae) Synonym(s): *salaconis* Meyrick,1912; *xanthochroma* Wileman & Stringer,1929
- 701. *Capua retractana* (Walker,1863)** (Tortricidae) Synonym(s): *retractana* Walker,1863
- 702. *Capua thelmae* Diakonoff,[1968]** (Tortricidae) Synonym(s): *thelmae* Diakonoff,[1968]
- 703. *Costosa allochroma* Diakonoff,[1968]** (Tortricidae) Synonym(s): *allochroma* Diakonoff,[1968]
- 704. *Cryptophlebia tetraploca* (Meyrick,1928)** (Tortricidae) Synonym(s): *tetraploca* Meyrick,1928
- 705. *Cydia gratulata* (Meyrick,1916)** (Tortricidae) Synonym(s): *gratulata* Meyrick,1916
- 706. *Dudua aprobola* (Meyrick,1886)** (Tortricidae) Synonym(s): *aprobola* Meyrick,1886; *metallota* Lower,1901
- 707. *Dudua atriphraga* (Diakonoff,[1968])** (Tortricidae) Synonym(s): *atriphraga* Diakonoff,[1968]
- 708. *Eucosma iographa* Diakonoff,[1968]** (Tortricidae) Synonym(s): *iographa* Diakonoff,[1968]
- 709. *Eudemis (Acanthothyspoda) homalopa* Diakonoff,[1968]** (Tortricidae) Synonym(s): *homalopa* Diakonoff,[1968]
- 710. *Gatesclarkeana senior* Diakonoff,1966** (Tortricidae) Synonym(s): *senior* Diakonoff,1966; *asynthetes* Diakonoff,[1968]
- 711. *Hedya atrifraga* Diakonoff,[1968]** (Tortricidae) Synonym(s): *atrifraga* Diakonoff,[1968]
- 712. *Homona bicornis* Diakonoff,[1968]** (Tortricidae) Synonym(s): *bicornis* Diakonoff,[1968]
- 713. *Isotenes inae* Diakonoff,1948** (Tortricidae) Synonym(s): *inae* Meyrick,1938; *miserana* T.B.Fletcher,1920 *nec* Walk.,1863
- 714. *Peridaedala crocoptila* Diakonoff,[1968]** (Tortricidae) Synonym(s): *crocoptila* Diakonoff,[1968]
- 715. *Peridaedala melanantha* Diakonoff,[1968]** (Tortricidae) Synonym(s): *melanantha* Diakonoff,[1968]
- 716. *Peridaedala physoptila* Diakonoff,[1968]** (Tortricidae) Synonym(s): *physoptila* Diakonoff,[1968]
- 717. *Peridaedala thylacophora* Diakonoff,[1968]** (Tortricidae) Synonym(s): *thylacophora* Diakonoff,[1968]
- 718. *Sorolopha homalopa* (Diakonoff,[1968])** (Tortricidae) Synonym(s): *homalopa* Diakonoff,[1968]; *#homolopa* Brown & Lewis,2000
- 719. *Spatalistis numismata* Diakonoff,[1968]** (Tortricidae) Synonym(s): *numismata* Diakonoff,[1968]
- 720. *Statherotis discana* (R.Felder & Rogenhofer,1875)** (Tortricidae) Synonym(s): *discana* R.Felder & Rogenhofer,1875; *cuneata* Diakonoff,1973; *saturata* Diakonoff,1973
- 721. *Statherotis olenarcha* (Meyrick,1931)** (Tortricidae) Synonym(s): *olenarcha* Meyrick,1931
- 722. *Stenarchella eupista* Diakonoff,[1968]** (Tortricidae) Synonym(s): *eupista* Diakonoff,[1968]
- 723. *Strepsicrates discobola* Diakonoff,[1968]** (Tortricidae) Synonym(s): *discobola* Diakonoff,[1968]
- 724. *Sycacantha (inodes-gr.) potamographa* Diakonoff,[1968]** (Tortricidae) Synonym(s): *potamographa* Diakonoff,[1968]
- 725. *Tetramoera schistaceana* (Snellen,1891)** (Tortricidae) Synonym(s): *schistaceana* Snellen,1891
- 726. *Zacorisca electrina* (Meyrick,1912)** (Tortricidae) Synonym(s): *electrina* Meyrick,1912
- 727. *Lyssa menoetius* (Hopffer,1856)** (Uraniidae) Synonym(s): *menoetius* Hopffer,1856; *hector* Walker,1856; *longicaudus* Schaufuss,1870; *#albiapicalis* Pfeiffer,1925
- 728. *Lyssa zampa* (Butler,1869)** (Uraniidae) Synonym(s): *zampa* Butler,1869; *crameri* Boisduval,1874

729. **Monobolodes pseudosimulans Holloway, 1998** (Uraniidae) Synonym(s): pseudosimulans Holloway, 1998
 730. **Allocaprima duganga (Semper, 1898)** (Zygaenidae) Synonym(s): duganga Semper, 1898
 731. **Amesia apoensis Kishida & Horie, 1989** (Zygaenidae) Synonym(s): apoensis Kishida & Horie, 1989
 732. **Cryptophysophilus bicoloratus (Semper, 1898)** (Zygaenidae) Synonym(s): bicoloratus Semper, 1898
 733. **Cyclosia chartacea (Swinhoe, 1892)** (Zygaenidae) Synonym(s): chartacea Swinhoe, 1892; chartaceomorpha M. Hering, 1922; tenebrosa Jordan, 1933; virgata Jordan, 1933; dorsalis Jordan, 1933
 734. **Cyclosia pseudospargens M. Hering, 1922** (Zygaenidae) Synonym(s): pseudospargens M. Hering, 1922
 735. **Docleopsis duganga (Semper, 1898)** (Zygaenidae) Synonym(s): duganga Semper, 1898
 736. **Docleopsis zamboanga (Semper, 1898)** (Zygaenidae) Synonym(s): zamboanga Semper, 1898
 737. **Eterusia feminata Kishida & Endo, 1999** (Zygaenidae) Synonym(s): feminata Kishida & Endo, 1999
 738. **Eterusia vitessa Yen, 2003** (Zygaenidae) Synonym(s): vitessa Yen, 2003
 739. **Eusphalera bellula Kishida & Endo, 1999** (Zygaenidae) Synonym(s): bellula Kishida & Endo, 1999
 740. **Pompelon marginatum (Guérin-Méneville, 1843)** (Zygaenidae) Synonym(s): marginata Guérin-Méneville, 1843; valentula Swinhoe, 1889; philippensis Druce, 1891; rotundata Swinhoe, 1892; subcyanea Swinhoe, 1892; cynosura Druce, 1894; albocyanum Semper, 1898; anethusa Snellen, 1903; albiapicalis M. Hering, 1922
 741. **Psaphis azurea Kishida & Endo, 1999** (Zygaenidae) Synonym(s): azurea Kishida & Endo, 1999

Addendum & Corrigendum:

Kemal, M., Kızıldağ, S. & A.Ö. Koçak, 2019. On the small Heterocera collection from Palawan Island (Philippines), with some remarks. *Misc. Pap.* 191: 1-26, 52 figs.

Notodontidae

Cerasana anceps Walker, 1862

Ssp. ***lutea*** (Pagenstecher, 1890)

Material studied: 1♀. Philippines, North Palawan, Mt. Olanu-an, January, 1998, F. Mamigo leg. (Cesa)

On page 11, nr. 57: "*Tirumala* sp." read as "*Tiracola* sp."

MISCELLANEOUS PAPERS**ISSN 1015-8235**

Miscellaneous Papers is a peer reviewed serial of the Centre for Entomological Studies Ankara, established in **1989**. It appears at irregular interval in a year, as PDF format and includes original articles of the research workers of the Centre, regarding on various subjects on Entomology (taxonomy, nomenclature, checklist, fauna, biodiversity, distribution, biogeography, ecology, insect-plant interactions, bionomy, and behaviour).

The CESA is a non-profit group, no royalties will be paid to authors of contributions. Papers accepted become the copyright of the related serial.

Miscellaneous Papers is currently archived online at "Internet Archive", in accordance with the publication rules of the ICZN. It is an open-access serial, distributed under the terms of the "*Creative Commons Attribution License*", which permits free use, and distribution in any medium, provided the original author(s) and source are credited.

Centre for Entomological Studies Ankara



(A scientific Consortium)
(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Priamus Supplement (print and online versions) (ISSN 1015-8243)⁴, Miscellaneous Papers (print and online versions) (ISSN 1015-8235)⁵, Memoirs (print and online versions) (ISSN-8227)⁶, DVD Films⁷, Iconographia Insectorum⁸ (online), Cesa Publications on African Lepidoptera (online)⁹, Cesa News (online)¹⁰, Cesa Books (online)¹¹

Owners / Sahipleri - Editors / Yayıncılar: Prof. em Dr Ahmet Ömer Koçak (c/o Van Yüzüncü Yıl University, Van, Turkey), Asst. Prof. Dr Muhabbet Kemal Koçak (c/o Van Yüzüncü Yıl University, Van, Turkey).

Editorial Board of all Scientific Serials of the CESA / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. em Dr Ahmet Ömer Koçak (c/o Van Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr Muhabbet Kemal Koçak (Van Yüzüncü Yıl University, Turkey).

Chief referees of all Scientific Serials of the CESA: Prof. em Dr Ahmet Ömer Koçak & Asst. Prof. Dr Muhabbet Kemal Koçak: Insecta, taxonomy, nomenclature, fauna, ecology, catalogues, checklists of the Old World.

Expert referees according to the subject areas: Dr Peter Huemer (Austria) and Dr. Ole Karsholt (Denmark): Gelechioidea, and some other Microlepidoptera groups in Palaearctic (Lepidoptera). Mag. Peter Buchner (Austria): Depressariidae (Lepidoptera). Dr J. B. Heppner (U.S.A.): Microlepidoptera of Nearctic and Neotropical. Dr G. Baldizzone (Italy): Coleophoridae (Lepidoptera). Dr V. Korneyev (Ukraine): Tephritidae, Pyrgotidae, Ulidiidae (Diptera). Prof. Dr Y.G.Verves (Ukraine): Sarcophagidae (Diptera). Dr Daniel Burckhardt (Switzerland): Psyllidae (Homoptera). Prof. Dr E. Heiss (Austria): Hemiptera. Dr R. Ehrmann (Germany): Mantodea. Prof. Dr Mustafa Ünal (Bolu, Turkey): Orthoptera. Prof. Dr Hüseyin Özdikmen (Turkey): Coleoptera. Prof. Dr Suat Kıyak (Turkey): Hemiptera.

Plant taxonomy, flora and vegetation: Assoc. Prof. Dr Murat Ünal, Asst. Prof. Dr Mesut Pınar, (Yüzüncü Yıl University, Van, Turkey).

Molecular studies: Asst. Prof. Dr Sibel Kızıldağ (Van Yüzüncü Yıl University, Van, Turkey).

Editorial policy: the submitted manuscript is evaluated by the Chief Editor and Referee. In case of need, the manuscript is sent to expert referees according to the subject areas.

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. em Dr Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: cesa_tr@yahoo.com.tr

All the serials of the Cesa are archived regularly by the Internet Archive (300 Funston Ave., San Francisco, CA 94118, U.S.A.), in accordance with the rules of the International Codes of Zoological Nomenclature (ICZN)

<https://archive.org/>

also recorded regularly by the Zoological Record, Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NQ, United Kingdom, <https://clarivate.com/>

⁴ <http://www.cesa-tr.org/Pri.htm>

⁵ <http://www.cesa-tr.org/Miscell.htm>

⁶ <http://www.cesa-tr.org/Memoirs.htm>

⁷ <http://www.cesa-tr.org/CDF.htm>

⁸ <http://www.cesa-tr.org/Icon.htm>

⁹ <http://www.cesa-tr.org/CPAL.htm>

¹⁰ <http://www.cesa-tr.org/Cesanews.htm>

¹¹ <http://www.cesa-tr.org/Cesabooks.htm>